



Range of Cleaners

The cleaning you expect, the quality you deserve!
Marine - Industrial - Corporate

1. Industrial Floor Cleaner
2. Fleet Cleaner
3. H.D. Degreaser
4. Rust Remover
5. Quat Control
6. Glitter + Quat
7. Glaze Coat
8. Car Wash
9. Speed Wax
10. Stain Solver

Product Information

Industrial Floor Cleaner

Overview

Industrial Floor Cleaner is a highly concentrated water based, alkaline floor cleaning chemical.

Application

Designed for use with mechanised scrubbing machines, Industrial Floor Cleaner can nevertheless be used with traditional manual cleaning methods. As a guideline however 5% to 10% of concentrate with water is a good guideline for normal cleaning applications.

Features

Industrial Floor Cleaner is formulated as a heavy duty industrial floor cleaner, principally for use with industrial scrubbing machines but also very effective when manually applied.

Packaging Sizes:

- 5 litres container
- 20 litres drum
- 200 litres plastic drum



Fleet Cleaner

Overview

A specifically formulated external vehicle wash chemical designed as a one chemical cleaning and surface finishing process which can be used manually or with automated system.

Application

As the chemical is highly concentrated it is important to test and check the cleaning result and regulate the equipment for proper dosage. Typical dilution when automatically dosed is 1% to 5% of the concentrate with water.

Features

Fleet Cleaner is low foaming chemical containing anionic tensio-active surfactants and can be dosed to suit the equipment used and the level of contamination to be cleaned.

Packaging Sizes:

5, 20 & 200 litres plastic drum



H.D. Degreaser

Application

For heavy duty cleaning, GloFlo H.D. Degreaser can be used with or without dilution depending on the degree and nature of soil to be removed. Apply the cleaning solution by brushing, spraying or by soaking method. For better results, use a warm cleaning solution and rinse with warm water. For general degreasing apply with 10% Concentration in water.

Features

- Water base oil and grease emulsifiers
- Concentrated blend of powerful of surfactants and safe to use and store
- Reduces manual cleaning
- Cost effective
- Readily disperses in water

Packaging Sizes:

5, 20 & 200 litres plastic drum



Rust Remover

Application

To remove light rust & stain from floor plates, pipes, decks & painted surface. Remove loose rust, clean oil & dirt from surface by stiff brush for the best performance before applying. Leave the solution on surface for few minutes to penetrate the rust and then wash the surface thoroughly with fresh water. Dilution level to be adjusted as per requirement.

Features

- Aqua based. Convenient to use
- Soluble in water for all proportion
- Metal passivator and rust inhibitor
- Remove rust particles and stains from all type of metal surfaces
- Reduces mechanical clearing
- Surface suited for painting

Packaging Sizes:

5, 20 & 200 litres plastic drum



Quat Control

Application

Sweep or Vacuum the surface to remove loose debris. Mix 40 to 60 ml of Quat Control in 10 ltrs. of water. Mop the surface and change solution when dirty. Can also be used as spray & wipe solution. For highly contaminated areas, dilute 1 liter. Quat Control in 10 ltrs. of water.

Features

- Highly Active & Effective in surface
- Disinfection Sanitation & Deodorization
- Highly recommended for disinfection of the walls, ceilings and floors.

Packaging Sizes:

5, 20 & 200 litres plastic drum



Product Information

Glitter + Quat

Application

Pour cleaner on floor and apply on the area Sprinkle little water & Lightly scrub the area with Machine, Mop or by hand and rinse with clean water. Rubber or black sole marks may require more than one application and hard scrubbing. Safe on most coatings, however, test on a small patch if cleaning Emulsion paints.

Features

- Neutral pH—safe for all surfaces
- Fungicide & Sanitizer
- Deodorizer
- Disinfectant

Packing Sizes:

1 Ltr. when diluted will yield 50 Ltrs. of cleaning solution which will clean approx. 1000 sq.ft area.



Glaze Coat

Application

The coating is applied in multiple of three to four coats. It levels. Smoothly without streaks and dries to a clear, hard shine. It dries to a Crystal clear shine and stay that way, even after months of wear.

The coating can be applied on Aggregate, Terrazzo, Concrete and Other hard surfaces.

Features

- Versatility of Application
- Hard scuff and mark resistant
- Water & Detergent resistant
- Easily Removed

Packing Sizes:

40 to 50 sq. mtr. per gallon.
Drying Time: 20 minutes
Dry to recoat: 20 minutes



Speed Wash

Application

SpeedWash-51 is a vehicle wash chemical designed as a shampoo for automatic or manual brush washing systems. It is compatible with automated vehicle washing equipment, from all major manufacturers. Can be used in conjunction with wastewater treatment systems.

Effective for treating and removing general road grime, oil and grease, plus airborne pollutants.

Features

- Designed to be compatible with SpeedWax-52
- Anionic tensio—active surfactant based chemical.
- Does not contain Phosphates
- Pleasantly scented

Packing Sizes:

Available in 5, 20 & 200 liters drum.



Speed Wax

Application

Check equipment for proper dosage information, as product is concentrated. Typical dilution is less than 1% of concentrate, but this can be affected by the quality of water used in diluting. Only use in conjunction with SpeedWash-51. Apply only to surfaces that have previously been washed and rinsed with water.

Features

- Designed to be compatible with SpeedWash-51.
- Cationic tensio—active surfactant based chemical. Does not contain Phosphates.
- Capable of being used in very low dilutions. Pleasantly scented.

Packing Sizes:

Available in 5, 20 and 200 liters drum.



Stain Solver

Application

For Heavy Oil & Tough Stains:

Sprinkle Stain Solver directly onto the stained area and spray some water to create a pasty solution. Scrub the area well so the Stain Solver penetrates well inside the stain. Leave the solution on for a few hours and then wipe the area clean. If the product has dried out or hardened, sprinkle some water onto it to reemulsify the powder and wipe it clean.

For Light Stains:

Make a solution with 1 part Stain Solver powder and 5 parts water. Spray it on the stains, scrub it in and leave it on for a while. After a few minutes, rinse or wipe the area clean.

Packing Sizes:

Available in 500 liters drum.



Contact us

Head office:

Steel House West Wharf Road, Karachi-74000, Pakistan

Tel: +92-21-32201072, 32311601

Fax: +92 (021) 32310976

Email: marketing@patsaonline.net

Website: www.patsaonline.net

