

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

1.1. Product Identifier

Product Form : Mixture  
Product Name : Score 250  
Product Code : 0100000(032)  
Type of Product : Cleaning Chemical  
Product Group : Cleaning Product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified Uses

Main use category : Professional Use  
Industrial/Professional use spec : For professional use only

1.2.2. Use advised against

No additional information is available

1.3. Details of the supplier of the safety data sheet

PATSA Pakistan (Pvt.) Ltd.  
Steel House, West Wharf Road,  
Karachi, 74000, Pakistan  
T: +92 0330 8694794  
[info@patsaonline.net](mailto:info@patsaonline.net) [www.patsaonline.net](http://www.patsaonline.net)

1.4. Emergency telephone number

Country	Organization/Company	Address	Emergency Number	Comment
N/A	N/A	N/A	N/A	N/A

**SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]Mixture: SDS < 2015: Show CLP information only

Skin corrosion/irritation, Category 1A H314

**Adverse physicochemical, human health and environmental effects**

No additional information is available.

For full text of H-phrases see section 16.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]  
Hazard pictograms (CLP)



GHS05

Single word (CLP) : Danger.  
Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.  
Precautionary Statements (CLP) : P280 - Wear face shield, eye protection.  
P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P363 - Wash contaminated clothing before reuse.

2.3. Other Hazards

No additional information available.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable.

### 3.2. Mixture

Name	Product Identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-(2-butoxyethoxy)ethanol	(CAS-No.) 112-34-5 (EC-No.) 203-961-6 (EC Index-No.) 603-096-00-8 (REACH-No.) 01-2119475104-44	5.0-15.0	Eye Irrit. 2, H319
Fatty alcohol, C12-14, ethoxylated	(CAS-No.) 68439-46-3	5.0-15.0	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Disodium metasilicate	(CAS-No.) 6834-92-0 (EC-No.) 229-912-9 (EC Index-No.) 014-010-00-8 (REACH-no) 01-2119449811-37	<5.0	Met. Corr. 1, H290 Skin Corr. 1B, H314 STOT SE 3, H335
Imidazolium compounds, 1-[2-(2-carboxyethoxy)ethyl]-1(or 3)-(2-carboxyethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, disodium salts.	(CAS-No.) 93820-52-1 (EC-No.) 298-632-7 (REACH-no) 01-2120750377-50	<5.0	Eye Dam. 1, H318 Skin Sens. 1, H317
Tetrasodiummethylenediamine tetraacetate	(CAS-No.) 64-02-8 (EC-No.) 200-573-9 (EC Index-No.) 607-428-00-2 (REACH-no) 01-2119486762-27	<5.0	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Dam. 1, H318 STOT RE 2, H373

Full Text of H-statements: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove individual into open fresh air and keep comfortable. Seek medical advice.
First-aid measures after skin contact	: Take off contaminated clothing. Rinse skin with water/shower.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rise mouth with water. Do NOT induce vomiting. Seek medical advice immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/injuries after inhalation	: Unconsciousness. Dizziness. Headache. Nausea. Drowsiness.
Symptoms/injuries after skin contact	: Pungent. Severe burns. Redness. Pain.
Symptoms/injuries after eye contact	: Pungent. Pain. Redness. Blurred vision.
Symptoms/injuries after ingestion	: Caustic, lack of breath, vomiting, blisters on lips and tongue, burning pain in mouth and throat, gullet and stomach.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information is available.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray, Powder, Foam, CO <sub>2</sub>
Unsuitable extinguishing media	: None.

### 5.2. Special hazards as arising from the substance or mixture

Fire hazard	: None.
Explosion hazard	: None.

### 5.3. Advice for firefighters

Reactivity	: Upon combustion: CO and CO <sub>2</sub> are formed.
Firefighting instructions	: No special firefighting instructions required.

Protection during firefighting : No specific firefighting instructions required.  
Other information : None known.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Do not touch spilled material. Do not breathe vapour. Do not breathe fumes. Do not breathe spray. Do not breathe dust. Remove contaminated clothing and shoes.

#### 6.1.1. For non-emergency personnel

Protective equipment : No additional information available.  
Emergency procedures : No additional information available.

#### 6.1.2. For emergency responders

Protective equipment : No additional information available.  
Emergency procedures : No additional information available.

### 6.2. Environmental precautions

Prevent entry to sewers and public.

### 6.3. Methods and material for containment and cleaning up

For containment : Contain released substance, pump into suitable containers.  
Methods for cleaning up : The material and its container must be disposed of in a safe way, and as per local legislation.  
Other information : Absorb the product onto porous material.

### 6.4. Reference to other sections

See headings 8 and 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes. Handle and open the container with care. Keep away from sources of ignition- No smoking.  
Hygiene measures : Wash thoroughly after handling. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.  
Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Incompatible products : Oxidizing agent, strong acids.  
Incompatible materials : No additional information is available.  
Storage area : Meet the legal requirements. Store in a cool area. Store in a well-ventilated place.  
Special rules on packaging : Meet the legal requirements.

## SECTION 8: Exposure controls/ personal protection

### 8.1. Control parameters

#### Score 250

Belgium - Occupational Exposure Limits	OEL TWA	Here follows a summary list of the hazardous components mentioned in paragraph 3, of which the TLV value is known: 67.5 mg/m <sup>3</sup> 2-(butoxyethoxy)ethanol
--	---------	--

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information is available.

#### 8.2.2. Personal protection equipment

##### Personal protective equipment:

Gloves. Safety glasses. Protective coating.

##### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Safety glasses

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Wear suitable protective clothing

##### Hand protection:

Nitrile rubber gloves. Breakthrough time: > 480 Min, (EN 374). Layer thickness: 0,35 mm. Always wash your hands after handling the product

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

Ensure adequate air ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Universal mask (ABEK)

#### 8.2.2.4. Thermal hazards

No additional information is available.

#### 8.2.3. Environmental exposure controls

No additional information is available.

## SECTION 9: Physical and chemical properties

### 9.1. Information

Physical state	: Liquid.
Colour	: Colourless.
Odour	: Characteristic.
Odour threshold	: No data available.
pH	: 12.8 @ 20°C
pH solution	: /.
Relative evaporation rate (butylacetate=1)	: 0.3
Melting point	: No data available.
Freezing point	: No data available.
Boiling point	: 100-233°C
Flashpoint	: /.
Auto-ignition temperature	: 200°C
Decomposition temperature	: No data available.
Flammability (solid, gas)	: Not applicable.
Vapour pressure	: 2332 Pa @ 20°C.
Relative vapour density at 20 °C	: No applicable.
Relative density	: No data available.
Density	: 1.041 kg/l @ 20°C
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available.
Viscosity, kinematic	: 1 mm <sup>2</sup> /s @ 20°C.
Viscosity, dynamic	: 1000 mPa·s @ 20°C.
Explosive properties	: Not applicable.
Oxidising properties	: Not applicable.
Lower explosive limit (LEL)	: 0.85 vol %.
Upper explosive limit (UEL)	: 24.6 vol %.

### 9.1. Information

Voce content	: 52.05 g/l
--------------	-------------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable at ambient temperature and under normal conditions of use.

### 10.2. Chemical stability

Extremely high or low temperatures.

### 10.3. Possibility of hazardous reactions

None known.

### 10.4. Conditions to avoid

Protect from sunlight. Do not expose to temperatures exceeding 50°C.

### 10.5. Incompatible materials

Keep away from (strong) acids. Oxidizing agents. Reducing Agents

### 10.6. Hazardous decomposition products

No hazardous decomposition products known.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effect

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Additional information	: See Heading 3 (information on ingredients)

### 2-(2-butoxyethoxy)ethanol (CAS No.) 112-34-5

LD50 oral rat	3305 mg/kg
LD50 dermal rabbit	≥2764 mg/kg
LC50 inhalation rat (mg/l)	≥50 mg/l/4h

### Fatty alcohol, C12-14, ethoxylated (CAS No.) 68439-46-3

LD50 oral rat	500 mg/kg
LD50 dermal rabbit	≥5000 nl/kg
LC50 inhalation rat (mg/l)	≥50 mg/l/4h

<b>Disodium metasilicate (CAS No.) 6834-92-0</b>	
LD50 oral rat	1152 mg/kg
LD50 dermal rabbit	≥5000 mg/kg
LC50 inhalation rat (mg/l)	>50 mg/l/4h

<b>Imidazolium compounds, 1-[2-(2-carboxyethoxy)ethyl]-1(or 3)- (2-carboxyethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, disodium salts (CAS No.) 93820-52-1</b>	
LD50 oral rat	≥5000 mg/kg
LD50 dermal rabbit	≥5000 mg/kg
LC50 inhalation rat (mg/l)	>50 mg/l/4h

<b>Tetrasodiummethylenediamine tetraacetate (CAS No.) 64-02-8</b>	
LD50 oral rat	500 mg/kg
LD50 dermal rabbit	≥5000 mg/kg
LC50 inhalation rat (mg/l)	10 mg/l/4h

Skin corrosion/irritation	: Causes severe skin burns. pH: 12.8 @ 20°C
Serious eye damage/irritation	: Assumed to cause serious eye damage. pH: 12.8 @ 20°C
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Disodium metasilicate (CAS No.) 6834-92-0 - May cause respiratory irritation. Tetrasodiummethylenediamine tetraacetate (CAS No.) 64-02-8 - May cause damage to organs through prolonged or repeated exposure.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology – general	: No data available.
Acute aquatic toxicity	: No data available.
Chronic aquatic toxicity	: No data available.

<b>2-(2-butoxyethoxy)ethanol (CAS No.) 112-34-5</b>	
LC50 fish 1	1300 mg/l
EC50 crustacea 1	>100 mg/l
ErC50 algae	>100 mg/l

<b>Disodium metasilicate (CAS No.) 6834-92-0</b>	
LC50 fish 1	>210 mg/l (Brachydanio rerio)
EC50 crustacea 1	1700 mg/l
EC50 72h algae (1)	207 mg/l

<b>Tetrasodiummethylenediamine tetraacetate (CAS No.) 64-02-8</b>	
LC50 fish 1	121 mg/l
EC50 crustacea 1	625 mg/l (24h)

### 12.2. Persistence and degradability

<b>Score 250</b>	
Persistence and degradability	This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

### 12.3. Bioaccumulative potential

<b>Score 250</b>	
Biocumulative potential	No supplementary information available.

### 12.4. Mobility in soil

<b>Score 250</b>	
Mobility in soil	No supplementary information available.
Ecology - soil	WGK 2. Completely soluble in water.

#### 12.5. Results of PBT and vPvB assessment

No additional information available.

#### 12.6. Other adverse effects

Additional information : No data available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Regional legislation (waste) : Comply with local regulations for disposal.  
Waste treatment methods : Dispose of at a licensed site. In case the undiluted product is discharged accidentally, neutralize to pH 7.  
Product/Packaging disposal recommendations : Disposal must be done according to official regulations.

### SECTION 14: Transport information

In accordance with ADR

#### 14.1. UN number

UN-No. (ADR) : UN1719

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Caustic alkali liquid, n.o.s.  
Transport document description (ADR) : UN 1719 Caustic alkali liquid, n.o.s. (mixture with disodium metasilicate), 8, III, (E)

#### 14.3. Transport hazard class(es)

**ADR**  
Transport hazard class(es) (ADR) : 8  
Danger labels (ADR) : 8



#### 14.4. Packing Group

Packaging group (ADR) : III

#### 14.5. Environmental hazards


Dangerous for the environment : No  
Other information : No supplementary information available

#### 14.6. Special precautions for user

Special transport precautions : Fire hazard, Danger of explosion, Heating may cause an explosion, This product contains hazardous components for the aquatic environment, Do not allow to enter drains or water courses.

#### - Overland transport

Hazard identification number (Kemler No.) : 80  
Orange plates :



Tunnel restriction code (ADR) : E

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions  
Contains no substance on the REACH candidate list  
Contains no REACH Annex XIV substances  
Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.  
Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants  
Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

VOC content : 52.05 g/l

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

#### 15.1.1. National Regulations

No information available

#### 15.2. Chemical safety assessment

No data available

### SECTION 16: Other information

#### Full text of H- and EUH- statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation

Safety Data Sheet (MSDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not, therefore, be construed as guaranteeing any specific property of the product.