

MADE IN BELGIUM  SINCE 1966



PRODUCT CATALOG

2021

proud sponsor of :





SOUDAL WORLDWIDE

Soudal is the largest independent European manufacturer of PU foams, sealants, adhesives and building chemicals for the construction, retail and industrial markets.

Soudal operates on a fully global basis with 23 manufacturing locations, 67 subsidiaries and sales into over 140 countries. Continued investments in R&D, a long-term vision for innovation and adaptations to local market requirements have resulted in Soudal's excellent performance over the past 54 years, for which it was named Company of the Year in 2011.

Our focus on quality and product performance has resulted in the most innovative and comprehensive range of branded sealants, adhesives, fillers, building chemicals, cleaners, lubricants and ancillary products for the retail, construction and industrial markets. The Soudal brand is a welcome reference point for customers trying to make the right product choice for their project or application.

Soudal is a multi-award winning company. In 2015, the prestigious Golden Bridge Award was awarded to Soudal for outstanding achievements in export to the UK. The judges praised the impressive track record of 40% growth during the previous three years, the high degree of integration in the UK market and the array of products specifically developed for the UK. This demonstrates respect for local markets and a long-term vision for sustainable growth.

PRODUCTION SITES

EUROPE

Turnhout (Belgium)
Sealants (Plant 1)
Foams (Plant 2)
Adhesives (Plant 3)

Overpelt (Belgium)
Aerosols

Nazareth (Belgium)
Foam systems

Weert (Netherlands)
Adhesives

Bergen op Zoom (Netherlands)
Sealants

Pionki (Poland)
Sealants - Foams (Plant 1)
Adhesives (Plant 2)

Bialystok (Poland)
Tapes - Membranes

Srpenica (Slovenia)
Sealants - Foams - Adhesives -
Admixtures

Sežana (Slovenia)
Adhesives

Dobele (Latvia)
Sealants

Istanbul (Turkey)
Sealants

Moscow Novomoskovsk (Russia)
Foams

NORTH AMERICA

Kentucky (USA)
Sealants - Adhesives

SOUTH AMERICA

Santiago (Chile)
Sealants - Adhesives

ASIA

Bawal (India)
Sealants

Chennai (India)
Sealants

Shanghai (China)
Sealants - Foams

Seoul (South-Korea)
Sealants

Sharjah (U.A.E.)
Sealants - Adhesives - Tapes


Umm Al Quwain (U.A.E.)
Foams - Aerosols



The Address Residences Dubai Opera
- Dubai, UAE



EXPO 2020 Dubai
- Dubai, UAE



BVLGARI Hotel & Resort
- Dubai, UAE



King Abdul Aziz International Airport
- Jeddah, Kingdom of Saudi Arabia

Index

SEALANTS		TAPES		CHEMICAL ANCHOR	
Silicone Sealants		Fix All Range		Chemical Anchor	
Silirub AC+	5	Fix All mounting tape transparent	30	Chemical Anchor CA1400	53
Silicone Universal GP	6	Fix All mounting tape white	30	Soudafix P-300 SF	53
Silicone U	6	FOAMS		Soudafix VE400-SF Chemical Anchor	54
Silirub WS+	7	Polyurethane Foams		TECHNICAL AEROSOLS	
Silirub NOS / NOST	8	Soudafoam 1K EXP	31	Technical Aerosols - Industrial Sprays	
Silirub NES	8	Soudafoam Gun	31	Multi Spray	55
Aquarium Silicone	8	Gun & Foam Cleaner	31	Silicone Spray	55
Silirub 2	9	Soudal Fill & Fix Foam	32	PTFE Spray	55
Natural Stone Silicone	10	Genius Foam	33	White Grease Spray	56
Silirub 2S	11	750ML TRADE SOUDABOND EASY GENIUS GUN	33	Vaseline Spray	56
Silirub Color	11	ADHESIVES		Cleaner & Degreaser	56
Silirub Cleanroom	13	Montage Adhesives		Sealant Remover	57
Soudaseal Cleanroom	13	T-Rex Montage Super Grab	34	Adhesive Remover	57
PU Sealants		T-Rex Montage Direct Grab	34	Multi Cleaner	57
Soudaflex 40FC	14	T-Rex Montage Fix It	35	Brake Cleaner	58
Soudaflex 41XS	14	T-Rex Montage Neoprene	35	Zinc Spray Matt	58
Soudaflex 42FX	15	Timber Adhesives		Alu-Zinc Spray	58
Soudaflex 20LM	15	Timber Adhesive D3	36	Contact Spray	59
Soudaflex 33SL	15	Timber Adhesive D4	36	Degrip All	59
Paintable Sealants & Fillers		Timber Adhesive PRO 45P D4	37	Cutting Oil	59
Paintable Sealant	17	Purocol Express	37	Anti Spat Spray	61
Acryrub	17	Wood Fix	37	Genius Spray	
Soudaduct HVAC	18	Contact Adhesives		Genius Spray Protect All	61
Repair Express Plaster	19	Neoprene Contact Liq (44A)	38	Genius Spray Lubricate All	61
Repair Express Cement	19	Contact Adhesive 110LQ	38	Genius Spray All-in-One	62
Polibutene Sealants		Contact Adhesive 100LQ	38	Genius Spray Clean All	62
Butyrub	19	Contact Spray Adhesive 2 in 1	39	Genius Spray Degrip All	62
High Temperature Range		Soudabond 280 Power Spray	39	ACCESSORIES	
Silirub HT-A	20	Spray Contact Adhesive 20L	39	Accessories	
Silirub HT-N	20	Soudabond 365 Classic Spray	40	Yellow Skeleton gun	63
High Temperature Sealant	20	Cyano Mitre Kit	41	Heavy Duty Sealant gun	63
Firecement HT	21	Flooring Adhesives		Heavy Duty Sealant Gun on Blister	63
Calofer	21	29A Wall Paper Adhesive	42	Double Barrel Gun for Foil Bags	64
Gasketseal	21	24A Super Tile Adhesive	42	Cox Gun for Foil Bags	64
HYBRIDS		30A Marble Adhesive	42	Pneumatic Airflow 3 Gun for Foil Bags	64
Special Hybrid Polymers		LVT Premium Floor&Wall Adhesive	43	Compact Foam Gun	65
Pool Fix	22	DS-11CT Carpet Adhesive	43	Heavy Duty Foam Gun	65
Green Fix	22	Parquet Flooring Adhesives		Swipex	65
Metal Fix	22	MS20 Plus Timber Flooring Adhesive	43	Swipex Handcleaner	66
Mirror Fix	23	SMX30 Plus Timber Flooring Adhesive	45	Silicone Remover	66
Hybrids		SMX®-15P Wooden Floor Adhesive	45	Trowels	66
Multibond MS35	24	Parquet Sealant	46	CONSTRUCTION CHEMICALS	
Ultra Repair Adhesive	24	Artificial Grass Adhesives		Waterproofing	
Soudaseal Mirror Grey	24	Soudabond AG 2K 342	47	Aquaswell	67
Soudaseal 240FC	25	Seaming Tape 100 x 30cm	48	Soudapack WST	67
Soudaseal 270HS	25	FIRE RANGE		Soudaplug ST	68
Fix All Range		Fire Range		Soudagum LM 13 kg	68
Fix All Flexi	27	Firesilicone B1 FR	49	Soudaprim DP	69
Fix All High Tack	27	Firecryn	49	Soudabond MT 15 kg	69
Fix All High Tack Invisible	28	Soudaseal FR	49	Soudaclear Facade W	70
Fix All Crystal	28	Soudafoam FR HY	50	Soudagum Hydro	71
Fix All Turbo	28	B2 Expanding Foam	52	AUTOMOTIVE	
Fix All Xtreme Power	29	B1 Soudafoam	52	Automotive Range	
Fix All Xtreme Xpress	29	SEALANTS		Carbond 940 FC	72
Fix All Floor & Wall	29	Fix All Range		Carbond 955 DG	72
SEALANTS		Fix All High Tack		Carbond 955 DG Primer	72
Silicone Sealants		Fix All High Tack Invisible		Carbond 955 DG Cleaner/Activator	73
Silirub AC+		Fix All Crystal		Underbody Protection Aerosol	73
Silirub Universal GP		Fix All Turbo		Underbody Protection Sprayable Tin	73
Silirub U		Fix All Xtreme Power		Anti-Gravel aerosol	74
Silirub WS+		Fix All Xtreme Xpress		Anti-Gravel tin	74
Silirub NOS / NOST		Fix All Floor & Wall			
Silirub NES					
Aquarium Silicone					
Silirub 2					
Natural Stone Silicone					
Silirub 2S					
Silirub Color					
Silirub Cleanroom					
Soudaseal Cleanroom					
PU Sealants					
Soudaflex 40FC					
Soudaflex 41XS					
Soudaflex 42FX					
Soudaflex 20LM					
Soudaflex 33SL					
Paintable Sealants & Fillers					
Paintable Sealant					
Acryrub					
Soudaduct HVAC					
Repair Express Plaster					
Repair Express Cement					
Polibutene Sealants					
Butyrub					
High Temperature Range					
Silirub HT-A					
Silirub HT-N					
High Temperature Sealant					
Firecement HT					
Calofer					
Gasketseal					
HYBRIDS					
Special Hybrid Polymers					
Pool Fix					
Green Fix					
Metal Fix					
Mirror Fix					
Hybrids					
Multibond MS35					
Ultra Repair Adhesive					
Soudaseal Mirror Grey					
Soudaseal 240FC					
Soudaseal 270HS					
Fix All Range					
Fix All Flexi					
Fix All High Tack					
Fix All High Tack Invisible					
Fix All Crystal					
Fix All Turbo					
Fix All Xtreme Power					
Fix All Xtreme Xpress					
Fix All Floor & Wall					

SILICONE SEALANTS



SILIRUB AC+

Silirub AC+ is a premium quality, elastic, multipurpose sealant based on silicones. Mainly for indoor applications.

APPLICATIONS:

- Building- and construction joints, especially in sanitary and humid places
- Glazing and joint works
- Connection joints
- Sealing in air-conditioning systems
- Joints in bathrooms and kitchens
- Sanitary applications
- Sealing in cold store rooms and container construction

FEATURES:

- Very easy to apply
- Colourfast and UV resistant
- Impervious to mould (anti fungus)
- Permanently elastic after curing
- Very good adhesion on many materials
- Typical acetic smell

Cartridge

121194	Transparent	280ml	24/ box	1152/ pallet	5411183057760
121193	White RAL9010	280ml	24/ box	1152/ pallet	5411183134201
121198	Light Champagne	280ml	24/ box	1152/ pallet	N/A
121197	Light Beige RAL1015	280ml	24/ box	1152/ pallet	N/A
121293	Bahamabeige	280ml	24/ box	1152/ pallet	
121297	Dark Beige RAL1019	280ml	24/ box	1152/ pallet	
125609	Sepia Brown	280ml	24/ box	1152/ pallet	5411183122376
121294	Copper Brown RAL8004	280ml	24/ box	1152/ pallet	
121295	Mahogany Brown RAL8016	280ml	24/ box	1152/ pallet	
121292	Grey RAL9006	280ml	24/ box	1152/ pallet	N/A
126961	Basalt Grey RAL7012	280ml	24/ box	1158/ pallet	
121195	Black	280ml	24/ box	1152/ pallet	5411183134218





SILICONE UNIVERSAL GP

Silicone Universal GP is a high quality, elastic, one-component sealant based on silicones.

APPLICATIONS:

- Building- and construction joints, especially in sanitary and humid places
- Glazing and joint works
- Connection joints
- Sealing in air-conditioning systems
- Joints in bathrooms and kitchens
- Sanitary applications
- Sealing in cold store rooms and container construction

FEATURES:

- Very easy to apply
- UV-resistant
- Impervious to mould (anti fungus)
- Permanently elastic after curing
- Very good adhesion on many materials
- Typical acetic smell

Cartridge

137643	 Clear	280ml	24/ box	1152/ pallet	5411183158399
137644	 Black	280ml	24/ box	1152/ pallet	5411183158382
137645	 White	280ml	24/ box	1152/ pallet	5411183158375
144238	 Beige RAL1015	280ml	24/ box	1152/ pallet	5411183158993
144239	 Grey	280ml	24/ box	1152/ pallet	5411183159006



SILICONE U

Silicone U is a high quality, elastic, 1-component sealant based on silicones.

APPLICATIONS:

- Building- and construction joints
- Glazing and joint works
- Connection joints
- Sealing in cold store rooms and container construction
- Sealing in airconditioning systems
- Sanitary applications
- Joints in humid spaces as bathrooms and kitchens

FEATURES:

- Very easy to apply
- Colourfast and UV resistant
- Impervious to mould (anti fungus)
- Permanently elastic after curing
- Very good adhesion on many materials
- Typical acetic smell

Cartridge

110056	 White	280ml	24/ box	1152/ pallet	5411183039582
110057	 Clear	280ml	24/ box	1152/ pallet	5411183039599
110055	 Black	280ml	24/ box	1152/ pallet	5411183039575
110052	 Grey	280ml	24/ box	1152/ pallet	5411183039544
110054	 Beige RAL1015	280ml	24/ box	1152/ pallet	5411183039568



SILIRUB WS+

Silirub WS+ is a high performance, low odor, one-component joint and glazing sealants, based on neutral silicone. Silirub WS+ has been developed for weather sealing of expansion joints in the façade industry.

APPLICATIONS:


- Weatherseal in curtain wall applications
- All usual building, connection, expansion and dilatation joints

FEATURES:

- Compatible with PVB-film
- Compatible with sealants for double glazing based on polysulphides and silicones
- Very easy to apply
- Colourfast and UV resistant
- Permanently elastic after curing
- Very good adhesion on many materials
- Corrosion free
- Resistant against UV-radiation, rain, frost, wind, ozone and extreme temperatures
- Excellent adhesion properties on glass, laminated glass, coated aluminium, galvanised steel, concrete and masonry

Sausage

128894	 Black	600ml	12/ box	804/ pallet	5411183133013
134545	 White	600ml	12/ box	804/ pallet	5411183151857



Sealants



SILIRUB N05 / N05T

Silirub N05 is a high quality neutral cure silicone for the sealing of most types of construction and glazing joints. Silirub N05 has excellent adhesion onto most types of building substrates including most types of plastic and PVC. Official approvals include SNJF (France) and ISO 11600 F25LM and G25LM.

APPLICATIONS:

- Glazing and façade sealant for all types of windows, including PVC. Can be used on porous and non-porous surfaces. High flexibility.

FEATURES:

- UV resistant
- Neutral cure
- Temperature resistance -60°C until + 150°C
- High movement joints, meets ISO 11600 G+F 25LM
- Wide range of colours available
- Colourfast

Cartridge

124940		Bronze	300ml	24/ box	1152/ pallet	5411183120655
120634		Clear	300ml	24/ box	1152/ pallet	5411183095137
120635		White	300ml	24/ box	1152/ pallet	5411183095144
120637		Grey	300ml	24/ box	1152/ pallet	5411183095168
120646		Black	300ml	24/ box	1152/ pallet	5411183095250



SILIRUB NES

Silirub NES is a high-quality, neutral, elastic one-component silicone based joint sealant.

APPLICATIONS:

- Joints in sanitary rooms (on synthetic baths and tubs) and kitchens
- All usual building joints with high movement
- Expansion joints between many different construction materials
- Sealing between metal components
- All usual construction and glazing joints

FEATURES:

- Very easy to apply
- Colourfast and UV resistant
- Impervious to mould
- Permanently elastic after curing
- Very good adhesion on many materials
- Neutral curing

Cartridge

127828		White	280ml	24/ box	1152/ pallet	5411183134249
127830		Transparent	280ml	24/ box	1152/ pallet	5411183134263
127827		Bronze	280ml	24/ box	1152/ pallet	5411183134232
127829		Black	280ml	24/ box	1152/ pallet	5411183134256
127835		Alu Grey	280ml	24/ box	1152/ pallet	5411183134270



AQUARIUM SILICONE

Soudal Aquarium Silicone is a permanently elastic silicone sealant especially developed for bonding of glass to glass. As it withstands permanent immersion in water the product is highly suitable for the construction and repair of aquaria and terraria.

APPLICATIONS:

- Installation and repair of aquaria. Production of full glass aquaria. Bonding and sealing of glass constructions, window displays, terraria etc.

FEATURES:

- Very easy to apply
- Once fully cured harmless for fish and plant life
- Fully water resistant, even in long term immersion
- High bond strength glass on glass
- EC1 Plus certified, very low emission value

Cartridge

107090		Clear	290ml	12/ box	1440/ pallet	5411183024298
--------	--	-------	-------	---------	--------------	---------------

Sealants



SILIRUB 2

Silirub 2 is a premium grade neutral cure silicone with fast skin formation and high mechanical performance for the sealing of most types of construction and glazing joints. Silirub 2 has excellent adhesion onto most types of building surfaces including most types of plastic and PVC. Official approvals include ATG (Belgium), ISO 11600 F25LM and G25LM.

APPLICATIONS:

- The Number One choice for sealing around window- and door frames, for glazing applications and for façade applications. Can be used on porous and non-porous surfaces. High mechanical performance and flexibility.

FEATURES:

- UV resistant
- Temperature resistance -60°C until + 150°C
- Fast curing
- Suitable for interior and exterior applications
- Colourfast
- Can be used on PVC and most types of plastics
- Suitable for applications in contact with laminated glass and secondary double glazing sealants (test is best)
- Externally tested to ISO 11600 F25LM and G25LM

Cartridge						
102384		Clear	300ml	15/ box	1500/ pallet	5411183001619
102392		White	300ml	15/ box	1500/ pallet	5411183001626
102393		Black	300ml	15/ box	1500/ pallet	5411183001657
102422		Grey	300ml	15/ box	1500/ pallet	5411183001633
102423		Bronze	300ml	15/ box	1500/ pallet	5411183001688
Sausage/foil bag						
100252		Grey	600ml	12/ box	1500/ pallet	5411183002982
100253		Black	600ml	12/ box	1500/ pallet	5411183014350





NATURAL STONE SILICONE

Natural Stone Silicone is a high-quality, neutral, elastic one-component silicone based joint sealant.
*More colours available upon request

APPLICATIONS:


- Sealing of joints that are in contact with natural stones (marble, blue stone, granite, ...) or other porous surfaces
- Sealing of joints in sanitary areas and kitchens which are in contact with natural stones
- Expansion joints between many different construction materials
- Top sealing in glazing

FEATURES:

- No staining on porous surfaces such as marble, granite and other natural stones
- Very easy to apply
- Colourfast and UV resistant
- Impervious to mould, contains biocide with fungicidal action
- Permanently elastic after curing
- Very good adhesion on many materials
- Low modulus
- MEKO free

Cartridge

104085		Marble Grey	290ml	15/ box	1500/ pallet	5411183010345
104086		Travertine	290ml	15/ box	1500/ pallet	5411183010765
109922		Transparent	290ml	15/ box	1500/ pallet	5411183038882



Sealants



SILIRUB 2S

Silirub 2/S is a high-quality, neutral, elastic one-component silicone based joint sealant.

APPLICATIONS:

- Joints in sanitary rooms (on synthetic baths and tubs) and kitchens
- Top sealing in glazing
- Sealing in cold store rooms and container construction
- Sealing in airconditioning systems

FEATURES:

- Excellent moisture resistance
- Neutral curing
- Low modulus
- Impervious to mould
- Very easy to apply
- UV-resistant
- Permanently elastic after curing
- Very good adhesion on many materials
- Very good resistance to ageing
- Not paintable
- Not suitable for natural stone

Sausage/foil bag

100697	White	600ml	12/ box	792/ pallet	5411183019881
--------	-------	-------	---------	-------------	---------------

Cartridge

101989	White	300ml	15/ box	792/ pallet	5411183005174
--------	-------	-------	---------	-------------	---------------

Sausage/foil bag

100749	Transparent	600ml	12/ box	792/ pallet	5411183022614
--------	-------------	-------	---------	-------------	---------------

Cartridge

101990	Transparent	300ml	15/ box	792/ pallet	5411183005488
--------	-------------	-------	---------	-------------	---------------



SILIRUB COLOR

Silirub Color is a premium grade neutral cure silicone with fast skin formation and high mechanical performance for the sealing in the exact colour of powdercoated door- and window frames and of most types of construction and glazing joints. Silirub Color has excellent adhesion onto most types of building surfaces including powdercoated substrates and most types of plastic and PVC.

APPLICATIONS:

- Sealing in the exact RAL colour of frames, verandas, curtain walls, etc. General glazing applications and for façade applications. Can be used on porous and non-porous surfaces. High mechanical performance and flexibility. More than 30 RAL colours always on stock, more than 140 RAL colours can be matched.

FEATURES:

- UV resistant
- Temperature resistance -60°C until + 150°C
- Fast curing
- Suitable for interior and exterior applications
- Available in more than 140 RAL colours
- Can be used on PVC and most types of plastics
- Complies to ISO 11600 F25LM and G25LM

Cartridge

various	 more than 130 RAL colours	300ml	15/ box	1500/ pallet	N/A
---------	---	-------	---------	--------------	-----

SILIRUB COLOR

AVAILABLE IN ALL RAL CLASSIC SYSTEM COLOURS

- Permanently elastic after curing
- Very good adhesion on many materials
- Very good resistance to ageing
- UV-resistance
- In- and outdoor use



SOUDAL

BUILD THE FUTURE

Sealants



SILIRUB CLEANROOM

Silirub Cleanroom is a high-quality, neutral, elastic one-component silicone based joint sealant. Silirub Cleanroom has been developed for sealing applications in critical surroundings (hospitals, laboratories, pharmaceutical industry) and in food safe applications.

APPLICATIONS:

- Sealing in cleanroom applications in hospitals, laboratories and other critical surroundings
- Sealing of rooms in which food is processed and stored
- Sealing of several panel types (like e.g. HPL-panels)
- Joints in sanitary rooms (on synthetic baths and tubs) and kitchens

FEATURES:

- Very easy to apply
- UV-resistant
- Impervious to mould, contains ZnP (biocide with fungicidal action)
- Permanently elastic after curing
- Very good adhesion on many materials
- Meets GEV EMICODE EC-1 PLUS: very low emission
- Low modulus
- Slow skinning time
- Tested according to FDA regulations code CFR 21 § 177.2600 (e) and (f)

Cartridge

112346 White 310ml 15/ box 1500/ pallet 5411183047815



SOUDASEAL CLEANROOM

Soudaseal Cleanroom is a high quality, neutral, elastic, one-component construction joint and adhesive sealant based on SMX Hybrid Polymer. Soudaseal Cleanroom is developed for sealing and bonding in cleanroom applications.

APPLICATIONS:

- Sealing and sticking applications in cleanroom applications
- Sanitary applications
- Strong elastic bonding in vibrating constructions
- Sealing of floor joints
- Sealing of several panel types (like e.g. HPL-panels)

FEATURES:

- Good extrudability
- Stays elastic after curing and very durable
- Excellent adhesion on nearly all surfaces, even if slightly moist
- Can be painted with water based systems
- No odour
- Very low emission, EC1+ certified
- Impervious to mould, contains biocide with fungicidal action
- Does not contain solvents, isocyanates, acids, halogens and toxic components, completely neutral
- Colourfast
- Good weather and UV resistance

Cartridge

112302 White 290ml 12/ box 1560/ pallet 5411183047679



PU SEALANTS



SOUDAFLEX 40FC

Soudaflex 40FC is a high quality, neutral, elastic, one-component construction joint and adhesive sealant based on polyurethane.

APPLICATIONS:

- All sealing and bonding applications in the building industry
- Structural bondings in vibrating constructions
- Sealing of shrinking joints in concrete floors
- Bonding of roof tiles

FEATURES:

- Very easy to apply
- Permanently elastic after curing
- Excellent resistance to UV radiation
- Very good adhesion on many materials
- Excellent resistance to many chemicals

Sausage/foil bag

116905	 Concrete Grey	600ml	12/ box	804/ pallet	5411183080027
102486	 White	600ml	12/ box	792/ pallet	5411183008892
104103	 Black	600ml	12/ box	792/ pallet	5411183019751
134715	 Grey	600ml	12/ box	792/ pallet	5411183152618
121280	 Sandstone	600ml	12/ box	792/ pallet	5411183099081



SOUDAFLEX 41XS

Soudaflex 41XS is a high quality, neutral, elastic, one-component construction joint and adhesive sealant based on polyurethane.

APPLICATIONS:

- All sealing and bonding applications in the building industry
- Structural bondings in vibrating constructions
- Connection joints between window- and doorframes and walls
- Connection joints in building industry
- Sealing of floor joints
- Bonding of roof tiles

FEATURES:

- Very easy to apply
- Long open time
- Good sag resistance
- Permanently elastic after curing
- Excellent resistance to many chemicals
- Can be painted with most types of paint systems
- Good weather and UV resistance

Sausage/foil bag

132265	 Black	600ml	12/ box	792/ pallet	5411183143791
132266	 White	600ml	12/ box	792/ pallet	5411183143784
146233	 Concrete Grey	600ml	12/ box	792/ pallet	5411183162969





SOUDAFLEX 42FX

Soudaflex 42FX is a high-quality, elastic, one-component joint and adhesive sealant polyurethane base.

APPLICATIONS:

- All sealing and adhesive applications in construction and metal industry
- Structural bonding in vibrating constructions
- Sealing of shrink joints in concrete floors
- Bonding of roof tiles

FEATURES:

- Very easy to process
- Permanently elastic after curing
- Good UV resistance
- Very good adhesion to many materials
- Good chemical resistance
- Not suitable for natural stone
- Paintable

Sausage/foil bag

152750	White	600ml	12/ box	792/ pallet	N/A
152579	Concrete Grey	600ml	12/ box	792/ pallet	5411183167445



SOUDAFLEX 20LM

Soudaflex 20LM is a high quality, elastic, one-component sealant based on polyurethane.

APPLICATIONS:

- All usual building joints with high movement
- Connection joints between window- and doorframes and walls
- Expansion joints between many different construction materials
- Joints with large movement

FEATURES:

- Very easy to apply
- Permanently elastic after curing
- Low modulus
- No bubble formation within sealant in high temperature and humidity applications
- Very good adhesion on many materials
- Excellent resistance to UV radiation
- Excellent resistance to many chemicals
- Paintable

Sausage/foil bag

126923	Concrete Grey	600ml	12/ box	792/ pallet	5411183124981
--------	---------------	-------	---------	-------------	---------------



SOUDAFLEX 33SL

Soudaflex 33SL is a high quality, flexible, one-component, self-leveling joint sealant based on polyurethane.

APPLICATIONS:

- Sealing of shrinking joints in concrete floors
- Sealing of floor joints
- All usual horizontal building, connection, expansion and dilatation joints
- Excellent for sealing of joints in environments where fuel and oil contact occurs
- Hydraulic fluids, lubricants, oils - Fuels (petrol and gasoline): Resistant to splash and spillage contact. Can withstand long-term intense contact-immersion (up to 1 week) in combination with Primer 100

FEATURES:

- Very easy to apply
- Self-leveling
- Usable up to max. slope of 3%
- Excellent chemical resistance
- Good weather and UV resistance
- Permanently elastic after curing
- Very good adhesion on many materials
- No bubble formation within sealant (in high temperature and humidity applications)
- No staining on porous surfaces such as marble, granite and other natural stones

Sausage/foil bag

130635	Concrete Grey	600ml	12/ box	804/ pallet	5411183135635
--------	---------------	-------	---------	-------------	---------------

SOUDAFLEX SEALANTS

SEALING OF FLOOR JOINTS



Soudaflex 41XS: Long open time
Soudaflex 42FX: Paintable
Soudaflex 33SL: Self-levelling

- Permanently elastic after curing
- Good chemical resistance
- Good UV resistance
- Very good adhesion to many materials



SOUDAL

BUILD THE FUTURE

PAINTABLE SEALANTS & FILLERS



PAINTABLE SEALANT

Paintable sealant is a high-quality, plasto-elastic one-component joint sealant based on acrylic dispersions.

APPLICATIONS:

- Joints on window sills, between plinths and walls, between masonry, ...
- Finishing of various board and ceiling lists and decorative elements such as moldings

FEATURES:

- Very easy to apply
- Colourfast and waterproof after curing
- Can be painted over after curing
- Very good adhesion on many porous surfaces and aluminium

Cartridge

123974	White	270ml	24/ box	1152/ pallet	5411183110670
--------	-------	-------	---------	--------------	---------------



ACRYRUB

Acryrub is a one-component, quickly paintable, plasto-elastic sealant based upon acrylic dispersion. Due to its unique composition, it minimalizes the risk for crazing, even with highly filled and covering paints.

APPLICATIONS:

- Joints with movement till max. 12,5%
- Connection joints in building industry
- Joints on window sills, between plinths and walls, between masonry

FEATURES:

- Very easy to apply
- Colourfast and waterproof after curing
- EC-1 PLUS label: very low emission
- Can be painted over after curing
- Very good adhesion on many porous surfaces and aluminium

Cartridge

102600	White	300ml	24/ box	1440/ pallet	5411183057685
102603	White	600ml	15/ box	1500/ pallet	5411183407459



Sealants



SOUDADUCT HVAC

Soudaduct HVAC is a high-quality, plasto-elastic, solvent free HVAC ducting sealant for all types of metal ducts.

APPLICATIONS:

- Joints with movement till max.12,5%
- Sealing of joints, seams and overlaps in HVAC systems

FEATURES:

- Very easy to apply
- Does not contain solvents
- Virtually odourless
- Colourfast and waterproof after curing
- Excellent adhesion on aluminum
- Good adhesion on anodized aluminum

Cartridge

146444  Grey

270ml

24/ box

1440/ pallet

5411183163041



Sealants



REPAIR EXPRESS PLASTER

Soudal Repair Express Plaster is a high quality lightweight filler for the easy and shrink-free repair or filling of gaps and cracks as well as drilled holes in walls and ceilings. The product does not shrink and can be painted with all types of paint.

APPLICATIONS:

- Ideally suited for the shrink free filling of gaps, cracks and drilled holes prior to painting and finishing.

FEATURES:

- Does not shrink
- Very fast curing
- Very smooth finish
- Can be sanded after curing
- Can be painted as soon as a skin has formed (ca 15 min.)
- Ultra-light weight
- Easy to clean with damp cloth

Cartridge

122525	 White	290ml	12/ box	1440/ pallet	541183112513
--------	---	-------	---------	--------------	--------------



REPAIR EXPRESS CEMENT

Soudal Repair Express Cement is a high quality rigid filler for the easy and shrink free repair or filling of gaps and cracks in concrete. The product does not shrink and can be painted with all types of paint.

APPLICATIONS:

- Repairing of holes and cracks in concrete, brick, stone, cement, etc. Repairing of damage in concrete structures.

FEATURES:

- Does not shrink
- Can be used both outdoors and indoors
- Granular structure
- Very fast curing
- Very good adhesion to concrete, brick and other mineral surfaces
- Can be painted

Cartridge

125786	 Grey	290ml	12/ box	1440/ pallet	541183123076
--------	--	-------	---------	--------------	--------------

POLIBUTENE SEALANTS



BUTYRUB

Butyrub is a high quality, permanent plastic one-component sealant based on polybutene. Butyrub is a non-setting sealant which forms an elastic and watertight skin.

APPLICATIONS:

- Joints with limited movement (max. 5%)
- Sealant for joints in masonry, door- and windowframes, windowsills
- Installation of single glass in wooden, concrete and steel window frames like in greenhouses
- Sealing of joints in coachwork and container construction
- Sealing of all openings in roof constructions
- Repairing and renovation of roofs and gutters

FEATURES:

- Very easy to apply
- Forms an elastic and tight skin
- Paintable after 24 hours
- Very good adhesion on many porous materials
- Excellent resistance to many chemicals
- UV-resistant
- Weatherproof

Cartridge

102570	 Grey	300ml	15/ box	1500/ pallet	541183407350
--------	--	-------	---------	--------------	--------------

102572	 White	300ml	15/ box	1500/ pallet	541183001749
--------	---	-------	---------	--------------	--------------

HIGH TEMPERATURE RANGE



SILIRUB HT-A

Silirub HT^o - A is a one-component sealant elastic silicone-based, which resists very high temperatures.

APPLICATIONS:

- Sealing of heating installations
- Seals for pumps and motors
- All sealing applications requiring resistance to high temperatures

FEATURES:

- Permanent elasticity after polymerization
- Thermal resistance of max. 285°C
- Good adhesion to metals, glass and with ceramic materials
- Typical vinegar smell

Cartridge

108265  Black 310ml 15/ box 1500/ pallet 5411183036024



SILIRUB HT-N

Silirub HT^o - N is an engineering sealant elastic and single-component silicone based that resists very high temperatures.

APPLICATIONS:

- Sealing of heating installations
- Seals for pumps and motors
- All sealing applications requiring resistance to high temperatures

FEATURES:

- Permanent elasticity after polymerization
- Temperature resistance of max. 280°C
- Strong end-strength

Cartridge

108266  Black 310ml 15/ box 1500/ pallet 5411183036031



HIGH TEMPERATURE SEALANT

Soudal High Temperature Sealant is a hard setting sealant with very high temperature resistance of up to 1500°C. Soudal High Temperature Sealant is suitable for sealing applications exposed to very high temperatures.

APPLICATIONS:

- Highly suitable for all types of low movement sealing applications. Can be used on brickwork, metals, concrete etc. Suitable for the installation and repair of ovens, barbecues, furnaces, heating systems etc.

FEATURES:

- Free of solvents
- Free of asbestos
- For low movement joints
- Withstands temperatures of up to 1500°C
- After application warm up slightly during 12 hours to improve structure

Cartridge

102270  Black 290ml 12/ box 1440/ pallet 5411183412002

Sealants



FIRECEMENT HT

Firecement HT[®] is a one-component ready to use sealing paste which cures to form a hard joint which withstand temperatures of up to 1500°C.

APPLICATIONS:

- Sealing of joints and openings where high temperatures are possible
- Sealing of stoves, ovens, fireplaces
- Heat retardant sealing at existing constructions

FEATURES:

- Ready for use
- No fragmentation or cracking after curing
- Heat resistant up to 1500°C
- Free of asbestos
- Hard setting
- Fire Rating of 120 minutes (Test Report 7830)

Cartridge

108264  Black 310ml 15/ box 1500/ pallet 5411183036017



CALOFER

Calofer is a high quality sealing paste based on sodium silicate.

APPLICATIONS:

- Sealing of joints and openings where high temperatures are possible
- Sealing of stoves, ovens, fireplaces

FEATURES:

- Ready for use
- Not elastic after curing
- No fragmentation or cracking after curing
- Heat resistant up to 1500°C
- Free of asbestos

Cartridge

100127  Black 310ml 15/ box 1440/ pallet 5411183002906



GASKETSEAL

Gasketseal is a temperature resistant, elastic, one-component silicone sealant and replaces all cork, felt, fiber, paper and rubber gaskets in all thicknesses and widths.

APPLICATIONS:

- Formation of gasket and sealing rings
- Sealing between metal components
- Sealing of heating installations

FEATURES:

- Excellent resistance to fuels, oils and grease
- High temperature resistance
- Very easy to apply
- Permanently elastic after curing
- Neutral curing, high modulus

Cartridge

103460  Gasketseal red 32403 310ml 12/ box 1152/ pallet 5411183001831

SPECIAL HYBRID POLYMERS



POOL FIX

Soudal Pool Fix is a sealant and adhesive designed for fixing and repairing swimming pool areas.

APPLICATIONS:

- Repairing of mosaic and tiles in and around swimming pools, sealing of swimming pool components, temporary repair of small leaks.

FEATURES:

- Excellent adhesion on almost all substrates, even humid
- Excellent sanitary performance
- Outstanding mechanical performance
- Combines strength with flexibility

Cartridge

132196	 Crystal Clear	290ml	6/ box	1470/ pallet	5411183142008
--------	---	-------	--------	--------------	---------------



GREEN FIX

Soudal Green Fix is a high-quality adhesive in a special green colour for bonding and sealing on and around artificial grass.

APPLICATIONS:

- Bonding seams and outer edges of artificial grass, for small scale full surface bonding of artificial grass onto all types of substrates on balconies, terrasses, etc.

FEATURES:

- Excellent adhesion on almost all substrates, even humid
- Special green colour
- Outstanding bond strength

Cartridge

132197	 Green	290ml	6/ box	1470/ pallet	5411183139893
--------	---	-------	--------	--------------	---------------



METAL FIX

Soudal Metal Fix is a high strength construction adhesive for bonding metal materials to each other and to a wide range of surfaces.

APPLICATIONS:

-

FEATURES:

- Excellent adhesion on almost all substrates, even humid
- Special metallic grey colour
- Outstanding mechanical performance
- High green strength
- Suitable for use in sanitary applications
- Fast strength build up

Cartridge

132436	 Alu Grey	290ml	6/ box	1470/ pallet	5411183126510
--------	--	-------	--------	--------------	---------------

Hybrids



MIRROR FIX

Soudal Mirror Fix is a high strength flexible adhesive for the bonding of mirrors with an acetone resistant backing to all types of surfaces.

APPLICATIONS:

- Direct bonding of mirrors onto vertical substrates.

FEATURES:

- Excellent adhesion on almost all substrates, even humid
- Outstanding mechanical performance
- High green strength
- Suitable for use in sanitary applications
- Fast strength build up
- Suitable for all types of mirrors with acetone resistant backing

Cartridge

132437  Grey

290ml

6/ box

1176/ pallet

5411183144002



HYBRIDS



MULTIBOND MS35

Multibond 35 is a high quality, neutral, elastic, one component adhesive sealant based on SMX Polymer.

APPLICATIONS:

- Sealing and bonding in the building and construction industry
- Strong elastic bonding in vibrating constructions
- Sealing and bonding in the building and construction industry

FEATURES:

- Good extrudability
- Stays elastic after curing and very sustainable
- Excellent adhesion on nearly all surfaces, even if slightly moist
- Can be painted with water based systems
- No odour
- Does not contain solvents, isocyanates, acids, halogens and toxic components, completely neutral
- Good colour stability, weather and UV resistance

Sausage/foil bag

121584	White	600ml	12/ box	720/ pallet	5411183100701
123030	Concrete Gray	600ml	12/ box	936/ pallet	5411183123250
130801	Beige	600ml	12/ box	936/ pallet	5411183135970



SODASEAL MIRROR GREY

Soudaseal Mirror is a high quality, neutral, 1-component mirror adhesive based on MS Polymer.

APPLICATIONS:

- Stress-free bonding of mirrors that comply with EN 1036-1 and EN 1036-2. For other mirrors the compatibility needs to be tested.

FEATURES:

- Fast curing
- Stays elastic after curing and very sustainable
- Very low emission, EC1 PLUS R certified
- Low odour
- Does not contain solvents
- Does not contain isocyanates and no silicones
- No risk for staining on porous substrates (migration of plasticizer)

Cartridge

117339	Grey	290ml	12/ box	1560/ pallet	5411183083035
--------	------	-------	---------	--------------	---------------



ULTRA REPAIR ADHESIVE

Soudal Ultra Repair Adhesive is a superfast SMX Polymer based ready to use, fully transparent flexible high strength adhesive for the bonding of almost all types of materials to porous and non porous surfaces.

APPLICATIONS:

- Superfast bonding of almost all materials to each other and to all types of surfaces. Bonding of transparent materials such as glass and Plexiglas. Bonding of ceramics, pottery, gemstones, etc.

FEATURES:

- For high strength small scale repair joints
- Fully transparent
- Very high end strength
- Remains fully flexible and can bridge gaps of up to 2mm
- Free of solvents, does not smell
- Water resistant for indoor and outdoor applications

Tube

134478	Transparent	20ml	10/ box	1600/ pallet	5411183069251
--------	-------------	------	---------	--------------	---------------

Hybrids



SODASEAL 240FC

Soudaseal 240FC is a high quality, neutral, elastic, 1-component construction joint and adhesive sealant based on MS-Polymer.

APPLICATIONS:

- Bonding applications in construction and metal constructions
- Strong elastic bonding in vibrating constructions
- Sanitary applications
- Sealing of floor joints
- Connection joints in sheet metal fabrication, sealing of air conditioning systems
- Bonding of security and safety glass
- Supple bonding in car bodies, caravans and containers

FEATURES:

- Excellent adhesion on nearly all surfaces, even if slightly moist
- Very good mechanical characteristics
- High elasticity – movement accommodation up to $\pm 20\%$
- Impervious to mold, contains biocide with fungicidal action
- Good extrudability even at low temperatures
- Non staining including hydrophobic effect
- Very low emission, EC1+ certified
- No bubble formation within sealant in high temperature and humidity applications
- Good weather and UV resistance
- Free of isocyanates, solvents, halogens and acids
- Can be painted with water based systems

Cartridge

101364	White	290ml	12/ box	1560/ pallet	541118300629
--------	-------	-------	---------	--------------	--------------

Sausage/foil bag

101809	White	600ml	12/ box	792/ pallet	5411183032309
--------	-------	-------	---------	-------------	---------------

Cartridge

104925	Black	290ml	12/ box	1560/ pallet	5411183004122
--------	-------	-------	---------	--------------	---------------

Sausage/foil bag

108148	Black	600ml	12/ box	792/ pallet	5411183030169
--------	-------	-------	---------	-------------	---------------

Cartridge

105027	Grey	290ml	12/ box	1560/ pallet	5411183004139
--------	------	-------	---------	--------------	---------------



SODASEAL 270HS

Soudaseal 270HS is a high quality, neutral, elastic, 1-component adhesive sealant based on MS-Polymer.

APPLICATIONS:

- For use in elastic structural bonding applications where a tough and rigid bond is required
- Structural bonding in vibrating constructions
- Elastic structural bonding in automotive applications: buses, trains, trucks, caravans or trailers ...
- Joints between metal plates

FEATURES:

- Excellent adhesion on nearly all surfaces, even if slightly moist
- Very good mechanical characteristics
- Combines high end strength with certain rigidity
- High initial tack and fast build-up of end strength
- Very low emission, EC1+ certified
- Easy to use and apply, also under difficult circumstances
- No bubble formation within sealant in high temperature and humidity applications
- Good weather and UV resistance
- Free of isocyanates, solvents, halogens and acids
- Can be painted with water based systems and industrial varnishes and coatings

Cartridge

110207	White	290ml	12/ box	1560/ pallet	5411183068261
--------	-------	-------	---------	--------------	---------------

Sausage/foil bag

113761	CS_white	600ml	12/ box	720/ pallet	5411183068605
--------	----------	-------	---------	-------------	---------------

Cartridge

111029	Black	290ml	12/ box	1560/ pallet	5411183042667
--------	-------	-------	---------	--------------	---------------

Sausage/foil bag

110645	Black	600ml	12/ box	720/ pallet	5411183041691
--------	-------	-------	---------	-------------	---------------



ALL you need is...

Fix ALL®

FIX ALL RANGE



FIX ALL FLEXI

Fix All High Flexi is an All-in One Sealant and Adhesive. The product can be used as a sanitary sealant, a paintable sealant, a high strength adhesive, a sealant for natural stone and a sealant for expansion joints.

APPLICATIONS:

- For all sealing and bonding applications both inside and outside. For bonding and sealing of natural stone, for bathroom & kitchen sealing and bonding, etc. Can be used painted and used on humid substrates.

FEATURES:

- For sealing and for bonding
- Combines flexibility with strength
- Interior and exterior applications
- Free of solvents and isocyanates
- For sealing and bonding of natural stone
- For applications which need to be painted
- For sanitary applications

Cartridge

106036	White	290ml	12/ box	1440/ pallet	5411183007192
--------	-------	-------	---------	--------------	---------------

Tube

131082	White	125ml	10/ box	1600/ pallet	5411183137332
--------	-------	-------	---------	--------------	---------------



FIX ALL HIGH TACK

Fix All High Tack is a high strength flexible adhesive and sealant which combines high end strength with high initial tack. The product can be applied both outside and inside, can be painted and used in sanitary areas.

APPLICATIONS:

- For all sealing and bonding applications both inside and outside where initial grab and high end strength is important. Can be used on humid substrates and in bathroom applications.

FEATURES:

- For bonding and for sealing
- Very high end strength
- High initial tack
- Interior and exterior applications
- Free of solvents and isocyanates
- For bonding of natural stone
- For sanitary applications

Cartridge

101444	White	290ml	12/ box	1440/ pallet	5411183031890
--------	-------	-------	---------	--------------	---------------

101454	Grey	290ml	12/ box	1440/ pallet	5411183031920
--------	------	-------	---------	--------------	---------------

101459	Black	290ml	12/ box	1440/ pallet	5411183031944
--------	-------	-------	---------	--------------	---------------

Tube

153976	White	125ml	10/ box	1600/ pallet	5411183170926
--------	-------	-------	---------	--------------	---------------



Hybrids



FIX ALL HIGH TACK INVISIBLE

Fix All High Tack Invisible is a high strength flexible adhesive which combines very high end strength with high initial tack. The product is 100% transparent and can be applied both outside and inside, can be painted and used in sanitary areas.

APPLICATIONS:

- For bonding applications both inside and outside where a transparent product is needed and where initial grab and high end strength is important. Can be used on humid substrates.

FEATURES:

- For invisible bonding
- Very high end strength
- Interior and exterior applications
- Free of solvents and isocyanates
- 100% transparent

Cartridge

131209		Glass Clear	290ml	12/ box	1440/ pallet	5411183138209
--------	--	-------------	-------	---------	--------------	---------------



FIX ALL CRYSTAL

Fix All Crystal is a super clear flexible sealant, adhesive and filler which can be applied both inside and outside onto almost all - even humid - surfaces, both porous and smooth. Fix All Crystal can be painted, is suitable for sanitary applications and meets FDA 177-2600 (e) for contact with aqueous food.

APPLICATIONS:

- For all bonding and sealing applications both inside and outside where transparency is important. Sanitary applications in kitchens and bathrooms. Can be used on humid substrates.

FEATURES:

- 100% crystal clear
- For sealing and bonding
- High end strength
- Free of solvents and isocyanates
- Foodsafe (aqueous food)
- For sanitary applications

Cartridge

118779		Crystal Clear	290ml	12/ box	1440/ pallet	5411183088023
--------	--	---------------	-------	---------	--------------	---------------

Tube

131080		Crystal Clear	125ml	10/ box	1600/ pallet	5411183137356
--------	--	---------------	-------	---------	--------------	---------------



FIX ALL TURBO

Fix All Turbo is a super clear flexible sealant, adhesive and filler which can be applied both inside and outside onto almost all - even humid - surfaces, both porous and smooth. Fix All Turbo can be painted, is suitable for sanitary applications and meets FDA 177-2600 (e) for contact with aqueous food.

APPLICATIONS:

- For all flexible bonding applications both inside and outside where very fast curing is important. Can be used on humid substrates.

FEATURES:

- Hand tight within 20 minutes (wood to wood)
- For fast flexible bonding both inside and outside
- Superior end strength
- Free of solvents and isocyanates
- For bonding of marble and other types of natural stone

Cartridge

122236		White	290ml	12/ box	1488/ pallet	5411183102842
--------	--	-------	-------	---------	--------------	---------------

Tube

131077		White	125ml	10/ box	1600/ pallet	5411183137387
--------	--	-------	-------	---------	--------------	---------------

Hybrids



FIX ALL XTREME POWER

Fix All Xtreme Power is a flexible adhesive with ultimate grab for bonding applications both inside and outside. Fix All Xtreme Power is easy to extrude and has primerless adhesion on almost all types of substrates (even humid).

APPLICATIONS:

- For all flexible bonding applications both inside and outside where direct bonding is important. Bonded applications will not budge during the curing process. Can be used on humid substrates.

FEATURES:

- Ultimate Initial grab of 400kg/m²
- High end strength
- Remains flexible
- Interior and exterior applications
- Free of solvents and isocyanates
- For bonding of natural stone

Cartridge

127479  White 290ml 12/ box 1440/ pallet 5411183127715



FIX ALL XTREME XPRESS

Fix All X-Treme Power Express is a high quality, neutral, elastic, 1-component adhesivesealant based on SMX-Polymer with an extremely high initial tack of min. 400 kg/m² and a very fast strength build-up.

APPLICATIONS:

- Bonding in building and metal industry. Elastic bonding of objects, panels, profiles and other pieces on the most common substrates. For bonded facade panels we refer to the Soudal Panel System.

FEATURES:

- Extreme high initial tack of min. 400 kg/m² - Quickly manipulable and very fast build-up of strength with thin adhesive layer and on porous substrates. - Fast curing - Good workability with included triangular shaped nozzle. - Stays elastic after curing and very durable - No odour - Good weather and UV resistance - Excellent adhesion on nearly all surfaces, even if slightly moist. - Paintable with waterbased paints. - No staining on porous surfaces such as marble, granite and other natural stones

Cartridge

154560  White 290ml 12/ box 1440/ pallet 5411183172470



FIX ALL FLOOR & WALL

Fix All Floor & Wall is a flexible adhesive with very high end strength for full surface bonding applications both inside and outside. Fix All Xtreme Power is easy to extrude and can be spread smoothly and has primerless adhesion on almost all types of substrates (even humid).

APPLICATIONS:

- For all full surface flexible bonding applications both inside and outside both horizontally (flooring materials) and vertically (tiles, metal sheets, etc.). Can be used on humid substrates.

FEATURES:

- For horizontal and vertical direct bonding
- High end strength
- Remains flexible
- Interior and exterior applications
- Free of solvents and isocyanates
- For bonding of natural stone

foil bag in plastic tub

120137  White 4 kg 1/ box 80/ pallet 5411183093379

FIX ALL RANGE



FIX ALL MOUNTING TAPE TRANSPARENT

Transparent double-sided mounting tape. A quick and easy solution for permanently mounting and bonding on a wide range of materials (glass, mirror, tiles, stone, steel, most types of metal, coated wood, veneer and most plastics).

APPLICATIONS:

- Fix ALL Mounting Tape ensures a highly durable and long-lasting adhesion to the surface, providing a strong bond inside and outside. The clear acrylic core provides visual congruity when used with glass or clear materials.

Blister

155514  Transparent 160mm 30/ box /pallet 5411183175556



FIX ALL MOUNTING TAPE WHITE

Ultra-strong double-sided mounting tape. A quick and easy solution for permanently mounting and bonding on a wide range of materials (glass, mirror, tiles, stone, steel, most types of metal, coated wood, veneer and most plastics).

APPLICATIONS:

- Fix ALL Mounting Tape ensures a highly durable and long-lasting adhesion to the surface, providing an ultra-strong bond inside and outside.

Blister

155515  white 160mm 30/ box /pallet 5411183175556

NEW!

Double-sided mounting tape
CUT. STICK. AND PRESS!




156013-0TH

POLYURETHANE FOAMS



SOUDAFOAM 1K EXP

Soudafoam 1K EXP is a one-component, self-expanding, ready to use PU-foam, which contains HCFC- and CFC-free propellants who are not harmful for the ozone layer.

APPLICATIONS:

- Filling of cavities
- Sealing of all openings in roof constructions
- Apply of an acoustic baffle
- Improving thermal isolation in cooling systems
- All foam applications in static and not static joints

FEATURES:

- Excellent stability (no shrinkage or post expansion)
- High filling capacity
- High insulation value, thermal and acoustic
- Freon free (not harmless to ozone layer and greenhouse effect)
- Not UV-resistant
- Low curing pressure

Aerosol can

120719	Champagne	750ml	12/ box	780/ pallet	5411183464001
123308	Champagne	650gr	12/ box	624/ pallet	5411183098510



SOUDAFOAM GUN

Soudafoam Gun is a Polyurethane based construction foam with excellent thermal and acoustic insulation values for the filling of large gaps and construction openings and for the installation of door- and window frames. To be applied with a special high quality Foam Gun.

APPLICATIONS:

- Quick and easy filling of all types of gaps and cracks in all types of construction materials. Insulation of roof panels, corrugated iron etc. Installation of door- and window frames. Filling of all types of cavities. One handed application thanks to Soudal's patented Genius Gun adaptor.

FEATURES:

- Excellent stability (no shrink or post-expansion)
- High filling capacity – expands more than 30 times after extrusion
- Excellent bond onto all surfaces (except PE, PP, PTFE, ..)
- Can be applied onto moist surfaces
- High thermal and acoustical insulation values
- 2 years shelf life due to the patented Duravalve system
- Fitted with a threaded applicator for use with Soudal Foam Guns

Aerosol can

104193	Champagne	750ml	12/ box	624/ pallet	5411183464049
--------	-----------	-------	---------	-------------	---------------



GUN & FOAM CLEANER

Soudal Gun & Foam Cleaner is a ready to use aerosol cleaner for use with Soudal's Gun Foams and PU Foams.

APPLICATIONS:

- Cleaning of Gun foam tools. Cleaning and removing of uncured PU Foam.

FEATURES:

- Contains Acetone
- Removes uncured foam and cleans and degreases acetone resistant smooth surfaces
- Fitted with an adaptor for use in combination with Soudafoam Gun and its application tools
- Fitted with a replacement spray nozzle so that it can also be used to clean other types of PU Foam

Aerosol can

113433	Clear	500ml	12/ box	624/ pallet	5411183052154
--------	-------	-------	---------	-------------	---------------

Foams



SOUDAL FILL & FIX FOAM

Fill and Fix Foam is a one-component, self-expanding, ready to use PU-foam, which contains HCFC- and CFC-free propellants who are not harmful for the ozone layer.

APPLICATIONS:

- Installing of window and door frames
- Filling of cavities
- Sealing of all openings in roof constructions
- Apply of an acoustic baffle
- Improving thermal isolation in cooling systems

FEATURES:

- Excellent stability (no shrinkage or postexpansion)
- High filling capacity
- Good adhesion on all surfaces (except PE, PP and PTFE)
- High insulation value, thermal and acoustic
- Very good bonding properties
- Not UV-resistant
- Freon free (not harmless to ozone layer and greenhouse effect)

Aerosol can

111115	Champagne	300ml	12/ box	1248/ pallet	5411183040328
110389	Champagne	500ml	12/ box	936/ pallet	5411183040335
110178	Champagne	750ml	12/ box	780/ pallet	5411183039957





GENIUS FOAM

Soudal Genius Gun Foam is a polyurethane based construction foam with excellent thermal and acoustic insulation values for the filling of large gaps and construction openings and for the installation of door- and window frames. It is fitted with Soudal's patented Genius Foam adaptor for ultimate ease of use.

APPLICATIONS:

- Quick and easy filling of all types of gaps and cracks in all types of construction materials. Insulation of roof panels, corrugated iron etc. Installation of door- and window frames. Filling of all types of cavities. One handed application thanks to Soudal's patented Genius Gun adaptor.

FEATURES:

- Fitted with Soudal's patented Genius
- Gun adaptor for ultimate ease of use
- Excellent stability (no shrink or post-expansion)
- High filling capacity – expands more than 30 times after extrusion
- Excellent bond onto all surfaces (except PE, PP, PFTE, ..)
- Can be applied onto moist surfaces
- High thermal and acoustical insulation values

Aerosol can

124008	Champagne	600ml	12/ box	780/ pallet	5411183114333
126886	Champagne	400ml	12/ box	1092/ pallet	5411183124882



750ML TRADE SOUDBOND EASY GENIUS GUN

Soudabond Easy Genius is a ready-to-use, single component, self-expanding polyurethane adhesive for clean, efficient and economical permanent bonding of insulation panels and plasterboard in building and construction.

APPLICATIONS:

- Clean, efficient and economical permanent bonding of insulation panels
- Suitable for bonding polystyrene (EPS + XPS), polyurethane (PUR/PIR) and phenol resin foam based insulation panels for flat roofs, perimeters, facades, insulation/drain elements, cellar ceilings, internal insulation, etc.
- Suitable for bonding gypsum plasterboard/gypsum fiberboard in dry lining applications
- Suitable for bonding non-load bearing walls, e.g. partition walls, screen walls, cellar bars, stone shelves, etc., of concrete precision blocks (aerated concrete, sand-lime brick, gypsum,...)
- Fills cavities between individual thermal insulation panels

FEATURES:

- Cuts working time by up to 30%
- Excellent initial bond, even at low temperatures
- Economical in use due to precise application
- One can covers up to 12 m² of insulation
- Suitable for vertical applications
- Can be applied at temperatures between -5 °C and +35 °C
- Thermal conductivity 0,036 W/m.K enhances performance of insulation panels when filling gaps
- Remains flexible, does not become brittle
- Levels uneven surfaces
- Limited post expansion for fast and precise installation of insulation panels and plasterboard
- Substantial space and weight savings compared to conventional PU roof adhesives, bonding mortars, etc
- Fast curing, work can continue about 1 hour after application
- Solvent-free
- Resistant to a variety of solvents, paints and chemicals
- Does not age or rot, mould and mildew resistant, but not UV resistant
- Water resistant (not watertight)

Aerosol can

130426	Orange	750ml	12/ box	468/ pallet	5411183134706
--------	--------	-------	---------	-------------	---------------

MONTAGE ADHESIVES



T-REX MONTAGE SUPER GRAB

Soudal T-Rex Montage Super Grab is a strong ready to use solvent free construction adhesive for the bonding of a wide range of materials to each other and to walls. At least one of the substrates should be porous.

APPLICATIONS:

- Rockfast bonding of a wide range of materials (timber, plastics, stone, tiles, PS, insulation materials, metals ...) onto porous surfaces. Suitable for decoration panels, skirting, decorative elements, polystyrene, ...

FEATURES:

- Free of solvents
- Suitable for applications onto uneven surfaces
- Very high green strength - 140kg/m²
- Suitable for direct bonding without support
- One substrate should be porous
- Apply onto one substrate and press on directly
- Do not expose cartridge to frost

Cartridge

146162	Beige	350gr	12/ box	1152/ pallet	5411183161412
--------	-------	-------	---------	--------------	---------------

Tube

137465	Beige	250gr	6/ box	1128/ pallet	5411183158191
--------	-------	-------	--------	--------------	---------------



T-REX MONTAGE DIRECT GRAB

Soudal T-Rex Montage Direct Grab is a strong ready to use solvent free construction adhesive for the immediate bonding of a wide range of materials to each other and to walls. At least one of the substrates should be porous.

APPLICATIONS:

- Rockfast bonding of a wide range of materials (timber, plastics, stone, tiles, PS, insulation materials, metals ...) onto porous surfaces. Unsurpassed initial grab. Suitable for heavy porous materials, decoration panels, skirting, decorative elements, polystyrene, ...

FEATURES:

- Free of solvents
- Suitable for applications onto uneven surfaces
- Fibre re-enforced for increased end strength
- Unsurpassed green strength - >250kg/m²
- Suitable for direct bonding without support
- One substrate should be porous
- Apply onto one substrate and press on directly
- Do not expose cartridge to frost

Cartridge

146163	Beige	350gr	12/ box	1152/ pallet	5411183161429
--------	-------	-------	---------	--------------	---------------



T-REX MONTAGE FIX IT

T-Rex Montage Fix It is a ready to use, solvented construction adhesive based on synthetic rubber.

APPLICATIONS:

- All bonding in assembly techniques
- Bonding in the renovation industry
- Bonding in construction industry
- Bonding of cable trays and panels

FEATURES:

- Universal use
- Suitable for bonding on uneven surfaces
- Makes the use of screws and nails redundant
- Water resistant
- Suitable for bonding polystyrene

Cartridge

146161  Beige 350gr 12/ box 1152/ pallet 5411183161399



T-REX MONTAGE NEOPRENE

T-Rex Montage Neoprene is a ready to use, solvented construction adhesive based on polychloroprene rubber.

APPLICATIONS:


- All bonding in assembly techniques
- Bonding in the renovation industry
- Bonding in construction industry
- Bonding of cable trays and panels
- Bonding of wooden construction elements

FEATURES:

- Direct application onto one substrate with a caulking gun
- Excellent initial grab
- Very fast powerful bonding
- Bonding on uneven surfaces, gap filling capacity
- Makes the use of screws and nails redundant
- Water resistant

Cartridge

146164  Beige 350gr 12/ box 1152/ pallet 5411183161405



TIMBER ADHESIVES



TIMBER ADHESIVE D3

PRO 30D is a ready to use, fast drying, PVA-based adhesive with superior water resistance (D3).

APPLICATIONS:

- Interior applications with frequent short-term exposure of the bonds to running or condensed water
- Interior applications which are exposed to high relative humidity
- Exterior applications which are not exposed to weather factors
- Manufacturing of door and window-frames that need to meet class D3 according to EN204
- Bonding of wood, board, chipboard, veneer
- Assembly gluing of soft wood
- Construction bonding such as mortise and tenon joints, punches, etc.
- Stationary edge-banding with veneers, plastic laminates and solid wood strips
- Surface bonding of decor-finish film, HPL and CPL to chipboard, MDF and plywood
- Bonding joints in boards and block bonding of softwood, hardwood and chipboard

FEATURES:

- Easy to tool
- Transparent after drying
- High end strength
- Fast drying time
- Resistant against high temperatures

Plastic bottle

100062	White	750gr	6/ box	720/ pallet	5411183001299
--------	-------	-------	--------	-------------	---------------

Bidon

103069	White	20L	1/ box	24/ pallet	5411183001312
--------	-------	-----	--------	------------	---------------



TIMBER ADHESIVE D4

Soudal Liquid PU Adhesive Pro 40P is a single component ready to use polyurethane timber adhesive which combines extreme bond strength with high water resistance.

APPLICATIONS:

- Bonding of timber to timber and to many types of substrates. Bonding of window and door frames and of other timber based construction elements.

FEATURES:

- Based on Polyurethane
- Meets the highest requirements for water resistance: D4 to EN 204
- Foams up to fill empty spaces
- Full bond strength after 3 hours when parts are clamped
- Supreme end strength
- Suitable for humid surfaces

Bidon

100059	Brown	750gr	6/ box	720/ pallet	5411183008014
--------	-------	-------	--------	-------------	---------------

Can

108901	Brown	5kg	4/ box	144/ pallet	5411183037410
--------	-------	-----	--------	-------------	---------------

Adhesives



TIMBER ADHESIVE PRO 45P D4

PRO 45P Superfast wood glue is a one-component, unfilled, ready to use polyurethane based adhesive with excellent water resistance

APPLICATIONS:

- Interior applications which are exposed to high relative humidity
- Exterior applications which are exposed to direct weather influence
- Bonding of windows and door frames (also corner connections) which need to meet class D4 according to EN204
- Bonding of wooden construction elements

FEATURES:

- Fast strength build-up
- Easy to tool
- Professional quality
- Foaming penetration action to fill bond cavities
- Water resistant D4
- Suitable for wet wood types

Bidon

108765	Brown	750gr	6/ box	600/ pallet	5411183036628
--------	-------	-------	--------	-------------	---------------

Can

108902	Brown	5gr	4/ box	144/ pallet	5411183037427
--------	-------	-----	--------	-------------	---------------



PUROCOL EXPRESS

Purocol Express is a transparent ready to use universal construction adhesive based on polyurethane.

APPLICATIONS:

- Interior applications which are exposed to high relative humidity
- Exterior applications which are exposed to direct weather influence
- Bonding of windows and door frames (also corner connections) which need to meet class D4 according to EN204
- Bonding of wooden construction elements
- Bonding of insulation materials (also polystyrene)

FEATURES:

- Professional quality
- Transparent
- Fast strength build-up
- Filling characteristics (foam formation), suitable for the bonding onto uneven surfaces
- Water resistant D4
- Solvent free

Cartridge

112524	Transparent	310ml	12/ box	1560/ pallet	5411183048331
--------	-------------	-------	---------	--------------	---------------



WOOD FIX

Wood Fix is a unique waterproof (D4), nonfoaming, very strong, isocyanate free construction adhesive.

APPLICATIONS:

- Suitable for the bonding of non-carrying bondings between different sorts of wood
- Specific for bondings with a wooden seam which will remain visible
- Suitable for all fitting outside connections who are exposed to weather effects: doors, windows, other constructions who are in a need of a D4 water resistance classification

FEATURES:

- Isocyanate free construction adhesive
- No black fingers
- Water resistant D4
- Non foaming
- For in and outdoor use
- Self-leveling and flows to fill connections
- End strength up to 110 kg/cm²
- Clamping not necessary
- Gap filling capacity, up to 1mm
- Can be finished immediately after application
- High heat resistance
- Fast setting - handtight after 60 minutes

Cartridge

137842	Brown	290ml	6/ box	1470/ pallet	5411183153639
--------	-------	-------	--------	--------------	---------------

CONTACT ADHESIVES



NEOPRENE CONTACT LIQ (44A)

44A Contact adhesive is a universal, toluene free, solvented ready to use contact adhesive based upon rubber and synthetic resins.

APPLICATIONS:

- Bonding of many materials such as rubber, leather, cork, plastic, felt, etc. on various types of substrates or among themselves
- Bonding synthetic decoration panels and worktops in wood, metal or board

FEATURES:

- Fast drying
- High adhesive strength
- Moisture resistant

Tube

131974	 yellow	125ml	12/ box	1872/ pallet	5411183140578
--------	--	-------	---------	--------------	---------------



CONTACT ADHESIVE 110LQ

110LQ Contact Adhesive is a ready to use, solvented contact adhesive based on polychloroprene rubber.

APPLICATIONS:

- Bonding of many materials such as rubber, leather, cork, plastic, felt, etc. on various types of substrates or among themselves
- Suitable for bonding metals, rubber, plastics, leather, wood, etc.

FEATURES:

- High initial tack and fast build-up of end strength
- High adhesive strength
- Fast drying
- Moisture resistant
- High heat resistance
- Easy application

Tin

145037	 Dark Amber	0.55kg/650ml	12/ box	720/ pallet	5411183160927
--------	--	--------------	---------	-------------	---------------



CONTACT ADHESIVE 100LQ

100LQ is a ready to use, universal contact adhesive based on rubber and synthetic resins.

APPLICATIONS:

- Bonding of many materials such as rubber, leather, cork, plastic, felt, etc. on various types of substrates or among themselves
- Suitable for bonding metals, rubber, plastics, leather, wood, etc.

FEATURES:

- High initial tack and fast build-up of end strength
- High adhesive strength
- Fast drying
- Moisture resistant
- High heat resistance
- Easy application

Can

146063	 Transparent	0.55kg/650ml	12/ box	720/ pallet	5411183161948
146061	 Transparent	0.85kg	12/ box	576/ pallet	5411183161924
146062	 Transparent	4.25kg	2/ box	56/ pallet	5411183161931

Adhesives



CONTACT SPRAY ADHESIVE 2 IN 1

Contact Adhesive Spray is a ready-to-use contact adhesive in aerosol based on synthetic rubber.

APPLICATIONS:

- Bonding of paper products
- For bonding a broad range of materials (not suitable for uneven surfaces)
- Suitable for the fast bonding of e.g. plastics, metal, timber, porcelain, cork, leather, ceramics, cardboard, paper and rubber

FEATURES:

- For temporary or permanent bond
- Ready to use and very user friendly
- Fast drying process.
- Good adhesion to many materials
- Fast hand tight bond

Aerosol can

132675	 Transparent	300ml	6/ box	780/ pallet	5411183152533
--------	---	-------	--------	-------------	---------------



SODABOND 280 POWER SPRAY

Soudabond 280 Power Spray is a ready-to-use, strong and fast contact adhesive based on synthetic rubbers. It is applied two-sided and carried in an aerosol.

APPLICATIONS:

- For bonding a broad range of materials (not suitable for uneven surfaces)
- Suitable for the fast bonding of e.g. plastics, metal, timber, porcelain, cork, leather, ceramics, cardboard, paper and rubber
- Suitable for bonding of low energy surfaces

FEATURES:

- Universal use
- Short evaporation time
- Fast strength build-up
- High end strength
- Ready to use and very user friendly
- Dichloromethane (DCM) free
- Doesn't attack polystyrene
- Fast drying process
- Good adhesion to many materials
- Fast hand tight bond

Aerosol can

146311	 Transparent	500ml	12/ box	780/ pallet	5411183162525
--------	---	-------	---------	-------------	---------------



SPRAY CONTACT ADHESIVE 20L

Ready to use, toluene free, pink, sprayable contact adhesive based on polychloroprene (Neoprene®).

APPLICATIONS:

- Used in two-sided adhesions on various materials, wood and stratified decorative coveringpanels (Formica®, Resopal®,...), veneer, stairsteps and nosings, PVCplinth, leather, cork, textile, with each other for wood, wood derivatives, stone, concrete, plaster, metal and other smooth, non-porous surfaces
- Meant for all adhesions where a fast bonding is required, for adhesions of two non-porous materials
- Only for interior use

FEATURES:

- Ready to use, on a sprayable viscosity
- Immediately fixed
- Fast strength build-up
- Moisture resistant
- Resistant against high temperatures
- Toluene free

Can

109777	 Pink	20L	1/ box	33/ pallet	5411183038653
128677	 Transparent	20L	1/ box	33/ pallet	5411183131866



SOUDABOND 365 CLASSIC SPRAY

Soudabond 265 Classic is a ready-to-use, universal contact adhesive based on synthetic rubbers. It is applied two-sided and carried in an aerosol.

APPLICATIONS:

- For bonding a broad range of materials (not suitable for uneven surfaces)
- Suitable for the fast bonding of e.g. plastics, metal, timber, porcelain, cork, leather, ceramics, cardboard, paper and rubber

FEATURES:

- Universal use
- Ready to use and very user friendly
- Doesn't attack polystyrene
- Fast drying process
- Good adhesion to many materials
- Fast hand tight bond
- Dichloromethane (DCM) free

Aerosol can

146309  Transparent

500ml

12/ box

780/ pallet

5411183162501





CYANO MITRE KIT

Cyano Mitre Kit is a two pack adhesive system based on a Cyanoacrylate instant adhesive and an aerosol activator.

APPLICATIONS:

- Superfast bonding of wooden mitre joints, full surface lamination, fixing and repairing of wooden parts.

FEATURES:

- Set of Adhesive and Activator Spray
- Very fast curing
- Will not drip, suitable for vertical substrates
- Spray activator on one surface, apply adhesive on the second surface and press together immediately
- Bonds within 60 seconds
- Suitable for porous and non-porous surfaces

Set

135623	 Clear	50gr/200ml	30/ box	1440/ pallet	5411183115309
135624	 Clear	100gr/400ml	24/ box	768/ pallet	5411183115323

BONDS IN SECONDS!



FLOORING ADHESIVES



29A WALL PAPER ADHESIVE

Soudal Wall Paper Adhesive 29A is a ready to use dispersion based adhesive for the bonding of fibre based wall covering onto porous surfaces.

APPLICATIONS:

- Interior bonding of fibre based wall covering onto porous surfaces

FEATURES:

- Direct application onto one surface
- Easy to apply with a roller, a brush or a trowel
- Transparent once dry
- Moisture resistant once fully cured
- Water clean up

Plastic pail

105688	White	1kg	6/ box	240/ pallet	5411183035621
104647	White	5kg	1/ box	88/ pallet	5411183000308

Bucket

104648	White	10kg	1/ box	33/ pallet	5411183000315
--------	-------	------	--------	------------	---------------



24A SUPER TILE ADHESIVE

Soudal Super Tile Adhesive 24A is a strong, flexible, solvent free adhesive paste, suitable for the bonding of all types of tiles onto horizontal and vertical surfaces. Soudal Super Tile Adhesive 24A can be used to bond tiles over old tile surfaces.

APPLICATIONS:

- For the bonding of all types of wall- and floor tiles. Tile-on-tile bonding is possible. Highly suitable for applications in humid areas (bathrooms, kitchens ...)

FEATURES:

- Ready to use, no mixing required
- Long open time
- Remains flexible
- Water resistant, can be used in bathrooms
- High initial tack and end strength
- Suitable for bonding of tiles on tiles

Plastic pail

123967	White	1kg	6/ box	378/ pallet	5411183110830
--------	-------	-----	--------	-------------	---------------



30A MARBLE ADHESIVE

Marble Adhesive 30A is a two component pre-accelerated adhesive, based upon unsaturated polyester resins.

APPLICATIONS:

- Bonding of marble and natural stone
- Filling of gaps and cavities in marble

FEATURES:

- Professional quality
- Fast drying
- High adhesive strength
- Can be polished to a high gloss finish

tin, hardener in plastic tube

100412	White, Ivory	2kg	6/ box	420/ pallet	5411183003415
--------	--------------	-----	--------	-------------	---------------

Adhesives



LVT PREMIUM FLOOR&WALL ADHESIVE

LVT Premium Floor&Wall Adhesive is a ready to use high strength solvent free dispersion adhesive for the bonding of Luxury Vinyl Tiles and other flexible flooring materials onto absorbent horizontal and vertical substrates.

APPLICATIONS:

- Bonding of LVT, PVC tiles, linoleum, carpet tiles, etc.

FEATURES:

- High initial tack
- Very high end strength
- Applications can be walked upon immediately
- Long open time
- Heat resistant, can be used in combination with underfloor heating
- Complies to EN 14259 - Adhesives for flooring

plastic pail

134895  White 13kg 1/ box 33/ pallet 5411183153349



DS-11CT CARPET ADHESIVE

DS-11CT is a ready to use, easy spreadable dispersion adhesive. Once fully dried, an anti-slip layer for carpet tiles remains.

APPLICATIONS:

- Bonding of carpet tiles with PVC backing
- Bonding of carpet tiles with polyurethane backing

FEATURES:

- Easy to tool
- Professional quality
- Long open time
- Solvent free
- Long open time

plastic pail

146280  white whilst applying, transparent after curing 10kg 1/ box 60/ pallet 5411183163317

PARKET FLOORING ADHESIVES



MS20 PLUS TIMBER FLOORING ADHESIVE

MS20 Plus is a SMX Hybrid Polymer based universal adhesive for the direct bonding of engineered timber based flooring materials onto many types of substrates.

APPLICATIONS:

- Direct bonding of engineered timber flooring, parquet, solid wood etc onto porous and non-porous surfaces.

FEATURES:

- Remains fully flexible
- Free of solvents, water and isocyanates
- Fast curing and strength build up
- Exceeds the requirements of EN 14293
- Suitable for underfloor heating

foil bag in pail

124164  Light Brown 18kg (3x6kg) 1/ box 33/ pallet 5411183116825

foil bag in eco box

152630  Light Brown 14kg 1/ box 66/ pallet 5411183167452

SMX[®]-30 PLUS • MS[®]-30 PLUS • MS[®]-20 PLUS

A PLUS IN PERFORMANCE, ENVIRONMENT & USER COMFORT

UNIVERSAL AND ELASTIC PARQUET ADHESIVES



- Fast strength building and higher end-strength
- Walkable and sandable very fast
- Easy in use
- **Very low emission (EC1 Plus)**



SOUDAL

BUILD THE FUTURE



SMX30 PLUS TIMBER FLOORING ADHESIVE

SMX 30 Plus is a ultra-high strength SMX Hybrid Polymer based universal adhesive for the direct bonding of large sized timber based flooring materials onto many types of substrates.

APPLICATIONS:

- Direct bonding of engineered timber flooring, parquet, large planks of solid wood etc onto porous and non porous surfaces.

FEATURES:

- Remains flexible
- Prevents cupping
- Suitable for large planks of solid wood
- Suitable for tropical hardwood
- Free of solvents, water and isocyanates
- Fast curing and strength build up
- Exceeds the requirements of EN 14293
- Suitable for underfloor heating

foil bag in pail

124036	Light Brown	18kg (3x6kg)	1/ box	30/ pallet	5411183114432
--------	-------------	--------------	--------	------------	---------------

foil bag in eco box

152632	Light Brown	14kg	1/ box	66/ pallet	5411183167452
--------	-------------	------	--------	------------	---------------



SMX[®]-15P WOODEN FLOOR ADHESIVE

SMX-15P is a high strength SMX-polymer based universal parquet adhesive. Free of solvent and water. Suitable for bonding engineered board by means of beads onto suitable indoor substrates. Can be used with or without sound dampening membrane.

APPLICATIONS:

- Suitable for indoor bonding of engineered boards and ready to use parquet with tongue and groove of 15-18mm thickness and up to 180mm wide
- Bonding of contact sound reducing parquet in conjunction with sound dampening membrane
- Direct bonding onto all types of equalized surfaces such as screed, metal sheets, subfloors, tiles, etc.
- SMX-15P is also suitable for the bonding of decorative elements made from timber or metals

FEATURES:

- Completely neutral – minimal health and safety considerations
- Very high bond strength
- Free of solvents and isocyanates
- Primerless adhesion, limited surface preparation required (time saving)
- Can be used with all types of wooden flooring materials
- Can be used without subfloor in applications where floor heating is installed
- Allows applications on slightly uneven surfaces
- Can be used as acoustic insulation in conjunction with sound dampening membrane

foil bag

122513	Light brown	600ml	12/ box	792/ pallet	5411183105805
--------	-------------	-------	---------	-------------	---------------



PARQUET SEALANT

Soudal Parquet Sealant is a high quality solvent free colour matched flexible sealant for the sealing.

APPLICATIONS:

- For connection joints between timber and parquet floors and walls. For colour matched sealing of between timber planks, of timber flooring, LVT flooring, laminate, etc.

FEATURES:

- For colour matched sealing
- Transparent cartridge to allow quick colour choice
- Remains flexible and can be painted and varnished
- Solvent free, does not smell
- Very low shrink
- Wide range of colours available

Cartridge

124004	Wenge	300ml	6/ box	1470/ pallet	5411183114302
124005	Pine	300ml	12/ box	1152/ pallet	5411183114319
125587	Ash/Maple	300ml	6/ box	1152/ pallet	5411183122321
125588	Cherry	300ml	6/ box	1152/ pallet	5411183122321
125589	Medium Oak	300ml	6/ box	1152/ pallet	5411183122307
125590	Light Oak	300ml	6/ box	1152/ pallet	5411183122291
125591	Beech	300ml	6/ box	1152/ pallet	5411183122284
125592	Mocca	300ml	6/ box	1152/ pallet	5411183122277
125593	Spruce	300ml	6/ box	1152/ pallet	5411183122338
125595	Merbau	300ml	6/ box	1152/ pallet	5411183122352
127174	Dark Grey	300ml	6/ box	1470/ pallet	5411183126770
127175	Light Grey	300ml	6/ box	1470/ pallet	5411183126787
132208	Pearl White RAL 1013	300ml	6/ box	1470/ pallet	5411183143494



ARTIFICIAL GRASS ADHESIVES



SODABOND AG 2K 342

Soudabond AG 2K 342 is an adhesive of 2 component polyurethane without solvent for the union of synthetic grass seams and markings Field in polyester sealing tapes. East adhesive can be used in all kinds of conditions meteorological.

APPLICATIONS:

- Bonding synthetic turf seams and field markings on polyester seaming tapes.

FEATURES:

- Suitable for sports fields
- Excellent adhesion on nearly all surfaces
- Can be used in all weather conditions
- Waterproof
- In- and outdoor
- Permanently elastic after curing
- Green color
- Low odour
- Excellent UV-resistance

Green color

packaging: 2-component

A = Bucket - 6 kg or 12 kg

B = 0.85 kg drum

Mixing ratio: A: B = 7: 1

137082  White 12kg 1/ box 33/ pallet 5411183155596

Green color

packaging: 2-component

A = Bucket - 6 kg or 12 kg

B = 0.85 kg drum

Mixing ratio: A: B = 7: 2

137081  White 6kg 1/ box 72/ pallet 5411183155602

Green color

packaging: 2-component

A = Bucket - 6 kg or 12 kg

B = 0.85 kg drum

Mixing ratio: A: B = 7: 3

137083  White 1.7kg 10/ box 540/ pallet 5411183155619





SEAMING TAPE 100 X 30CM

Soudabond AG Seaming Tape is a polyester fabric laminated with a PE membrane, designed to bond the seams of artificial grass.

APPLICATIONS:

- The connection between 2 sheets of artificial grass

FEATURES:

- Very good compatible with Soudabond AG 341 and Soudabond AG 2K 342
- Ready for use
- Easy to apply
- Flexible

Width (mm) x Roll length (m) x Roll/Packing

300 x 100 x 1

137340

White

100x30cm

1/ box

133/ pallet

5411183158214



FIRE RANGE



FIRESILICONE B1 FR

Fire Silicone B1 FR is a high-quality, fire-resistant, smoke-tight, neutral, elastic, one component joint sealant based on silicones.

APPLICATIONS:

- Fire retardant expansion and connection joints in the construction industry
- Fire-resistant sealing of connection joints
- As part of the 'Soudal Fire Range' assortment for penetration seals and joints

FEATURES:

- High level of fire retardation
- Sealant for preventing the passage of smoke and gas
- MEKO free
- Very good adhesion on many materials
- Permanently elastic after curing (without fire load)
- Very easy to apply
- Excellent UV stability
- Not paintable

Cartridge

147412	 Grey	300ml	15/ box	1500/ pallet	5411183165878
147411	 Black	300ml	15/ box	1500/ pallet	5411183165861
147413	 White	300ml	15/ box	1500/ pallet	5411183165885



FIRECRYL

Soudal Firecryl is a fire-retardant, flexible solvent free sealant based on acrylic polymers which will swell up to create a smoke tight and fire retardant joint in a fire situation.

APPLICATIONS:

- Fire retardant indoor applications. Sealing of fire retardant joints and wall penetrations. Fire retardant filling of gaps and cracks.

FEATURES:

- Intumescent (swells up) when exposed to temperatures of +120°C
- Prevents the passage of fire and smoke
- Fire rating of up to 240 minutes
- For joints and wall penetrations
- Can be painted
- Remains flexible
- Excellent adhesion on porous surfaces and many metals

Cartridge

106329	 White	310ml	15/ box	1500/ pallet	5411183009448
--------	---	-------	---------	--------------	---------------

foil bag

105229	 White	600ml	12/ box	792/ pallet	5411183037175
--------	---	-------	---------	-------------	---------------



SOUDASEAL FR

Soudaseal FR is a fire retardant fully elastic hybrid polymer based sealant for fire retardant sealing of all types of high movement joints.

APPLICATIONS:

- For interior and exterior sealing of expansion joints which require an official fire rating. Sealing between frames and walls, sealing in prefabricated buildings, sealing of high movement joints in high rise buildings.

FEATURES:

- Fully elastic for high movement joints
- For outside applications
- For all types of surfaces, porous and non-porous
- Prevents the passage of fire and smoke
- Fire rating of up to 240 minutes
- High UV resistance
- Can be painted
- Remains flexible
- Excellent adhesion on porous surfaces and many metals

foil bag

113628	 Grey	600ml	12/ box	792/ pallet	5411183102330
122771	 White	600ml	12/ box	792/ pallet	5411183106833

Fire Range



SOUDAFOAM FR HY

Soudafoam FR HY is a one-component, self-expanding, ready to use polyurethane foam, which contains HCFC- and CFC-free propellants who are not harmful for the ozonlayer and where the canister is provided with a thread so it can be used on a gun. Soudafoam FR HY is a PU-foam with fire retardant characteristics according to the European standard EN 1366-4. Because of the Duravalve, the optimal yield remains over the entire shelf life, even when stored or transported lying down.

APPLICATIONS:

- Installation of fireproof doors and windows
- Sealing of fire retardant joints in walls and ceiling
- As part of the 'Soudal Fire Range' assortment for penetration seals and joints
- Sealing of all openings in roof constructions
- Apply of an acoustic baffle
- All foam applications in static joints

FEATURES:

- Fire resistant in joint applications (EN1366-4)
- High filling capacity
- Good adhesion on all surfaces (except PE, PP and PTFE)
- High insulation value, thermal and acoustic
- Very good bonding properties
- Not UV-resistant

Aerosol can

153087	 Pink - Handheld	750ml	12/ box	624/ pallet	5411183036079
153085	 Pink - Gun	750ml	12/ box	624/ pallet	5411183109322



SOUDAFOAM **FR HY**

RENOWNED QUALITY
HIGHER YIELD



**ACT TO
PREVENT**

PERFORMING FIRE RESISTANCE
UP TO EI 240!

SOUDAL

BUILD THE FUTURE



B2 EXPANDING FOAM

Expanding foam B2 is a one-component, self-expanding, ready to use polyurethane foam, which contains HCFC- and CFC-free propellants who are not harmful for the ozonlayer.

APPLICATIONS:

- Installing of window and door frames
- Filling of cavities
- Sealing of all openings in roof constructions
- Apply of an acoustic baffle
- Improving thermal isolation in cooling systems

FEATURES:

- Excellent stability (no shrinkage or post expansion)
- High filling capacity
- Good adhesion on all surfaces (except PE, PP and PTFE)
- High insulation value, thermal and acoustic
- Very good bonding properties
- Freon free (not harmless to ozone layer and greenhouse effect)
- Not UV-resistant

Aerosol can

128449	 Champagne - Handheld	750ml	12/ box	624/ pallet	5411183131224
128450	 Champagne - Gun	750ml	12/ box	624/ pallet	5411183131231



B1 SOUDAFOAM

Soudafoam B1 is a one-component, self-expanding, ready to use PU-foam, which contains HCFC- and CFC-free propellants who are not harmful for the ozonlayer.

APPLICATIONS:

- Installing of window and door frames
- Filling of cavities
- Sealing of all openings in roof constructions
- Improving thermal isolation in cooling systems
- All foam applications in static joints
- Foaming cavities and joints in external thermal insulation systems (ETICS)

FEATURES:

- Excellent stability (no shrinkage or post expansion)
- High filling capacity
- Good adhesion on all surfaces (except PE, PP and PTFE)
- High insulation value, thermal and acoustic
- Very good bonding properties
- Not UV-resistant
- Freon free (not harmless to ozone layer and greenhouse effect)
- Flame retardant (Building material class B1 according to DIN 4102-1)

Aerosol can

101351	 Blue - Handheld	750ml	12/ box	624/ pallet	5411183031715
101352	 Blue - Gun	750ml	12/ box	624/ pallet	5411183031364

CHEMICAL ANCHOR



CHEMICAL ANCHOR CA1400

Soudal CA 1400 is a styrene free Chemical Anchor based on vinyl ester technology. Suitable for general purpose tension free anchoring of metal rods, anchors, armoring etc. in hollow and full stone.

APPLICATIONS:

- Anchoring and securing of heavy loads in solid and hollow building materials. Pressure free anchoring, even when close to edges. Can be used to repair mortar. Can be applied with regular sealant gun.

FEATURES:

- Easy to use and apply
- No specific gun required, can be used with regular sealant gun
- Low odour
- Wide application area
- Cartridge can be reused by exchanging static mixer
- Watertight and impermeable fixing

Cartridge

125539	Grey	280ml	12/ box	900/ pallet	5411183121768
125538	Grey	165ml	12/ box	1260/ pallet	5411183121751



SOUDAFIX P-300 SF

SOUDAFIX P300-SF is a two-component anchoring resin for the pressure-free securing of anchoring rods, studs, reinforcing bars, threaded collars, profiles etc in various solid and hollow materials, such as uncracked concrete, light concrete, solid brick, hollow brick, porous concrete, natural stone, plasterboard walls, etc. . .

APPLICATIONS:

- Securing of standard fixings in solid and hollow building materials. Pressure free anchoring even close to edges. Can be used as repair mortar.

FEATURES:

- Easy to use and to apply
- Can be applied with standard caulking gun
- Fast cure
- Styrene free (low odour)
- Wide application area
- Overhead application
- Cartridge re-usable by simply exchanging static mixer
- Ideal for anchoring in hollow brick in combination with sleeves
- Watertight and impermeable fixing
- European Technical Approval Option 7 for application in uncracked concrete

Cartridge

127849	Dark grey after mixing	280ml	12/ box	900/ pallet	5411183128422
--------	------------------------	-------	---------	-------------	---------------



Chemical Anchor



SOUDAFIX VE400-SF CHEMICAL ANCHOR

SOUDAFIX VE400-SF is a two-component anchoring resin for the pressure-free securing of threaded rods (ETA: M8-M30), studs, reinforcement bars (ETA: Ø8-Ø32), threaded collars, profiles etc in various solid and hollow materials, such as cracked and uncracked concrete, solid brick, hollow brick, porous concrete, natural stone (see remarks), plasterboard walls, etc. . .

APPLICATIONS:

- Securing of heavy loads in solid and hollow building materials. Pressure free anchoring even close to edges. Can be used as repair mortar.

FEATURES:

- Easy to use and to apply
- Fast cure
- Wide application area, even in wet drill holes, under water (ne sea water) and at temp. as low as -10°C
- Overhead installation allowed
- Styrene free (low odour)
- Cartridge re-usable by simply exchanging static mixer
- Watertight and impermeable fixing
- High chemical resistance
- Fire Resistance class F120 (M8-M30)
- European Technical Assessment ETA-10/0167 based on EAD 330499-00-0601 for application in cracked and uncracked concrete

Cartridge

117474	Dark grey after mixing	280ml	12/ box	900/ pallet	5411183083769
117475	Dark grey after mixing	380ml	12/ box	840/ pallet	5411183083776

Pressure free fixing for **VERY HIGH LOADS**

VE400-SF	P300-SF
• Vinylestere based	• Polyester based
• High performance	• standard CA

TECHNICAL AEROSOLS - INDUSTRIAL SPRAYS



MULTI SPRAY

Soudal Multi Spray is a transparent premium grade universal technical spray with 8-fold action: Cleaner - Lubricant - Rust Remover - Penetrating Oil - Anti-Corrosion Spray - Shock Spray - Contact Spray - Moisture Repellant

APPLICATIONS:

- To be applied on screws, bolts, chains, moving metal parts, axles, hinges, garden tools, ...

Aerosol can

119707	Clear	400ml	6/ box	1044/ pallet	5411183090675
--------	-------	-------	--------	--------------	---------------



SILICONE SPRAY

Soudal Silicone Spray is a transparent spray with lubricating and anti-adhesive performance based on high grade silicone oils. Lowers friction and reduces wear of mechanical parts, prevents dirt, dust and grease deposits, creates a water repellant layer and protects from moisture. Silicone Spray withstands temperatures of up to 250°C.

APPLICATIONS:

- Light lubrication of plastic and rubbers, sliding doors, rubber seals, protection fo electric wiring, creation of a dirt- and water repellant layer.

Aerosol can

119704	Clear	400ml	6/ box	1044/ pallet	5411183090644
--------	-------	-------	--------	--------------	---------------



PTFE SPRAY

Soudal PTFE Spray is a superior grade high performance lubricant based on PTFE with high penetrating performance. Suited for parts which are subject to high pressure and temperature loads, repels moisture and dirt and offers long term protection against friction.

APPLICATIONS:

- Lubrication of manchine parts, pulleys, bycycle and other moving chains, gears, ball bearings, conveyor belts, etc.

Aerosol can

119705	Clear	400ml	6/ box	1044/ pallet	5411183090651
--------	-------	-------	--------	--------------	---------------

Technical Aerosols



WHITE GREASE SPRAY

Soudal White Grease Spray is a high-grade lubricant based on white lithium soap re-enforced with PTFE for heavy duty lubrication. Sprays out like oil and penetrates into the application, then sets like grease to offer long term lubrication.

APPLICATIONS:

- Machines, ball bearings, axles, sprockets, conveyour belts, etc.

Aerosol can

119706	 Clear	400ml	6/ box	1044/ pallet	5411183090668
--------	---	-------	--------	--------------	---------------



VASELINE SPRAY

Soudal Vaseline Spray is a transparent lubricating and protective spray which can be used on metals and plastics and protects against moisture, many types of diluted chemicals and general wear and tear.

APPLICATIONS:

- Door- and window hinges, nuts and screws, garden tools, sliding and rolling shutters, etc.

Aerosol can

119703	 Clear	400ml	6/ box	1044/ pallet	5411183090637
--------	---	-------	--------	--------------	---------------



CLEANER & DEGREASER

Powerful fast drying Cleaner and Degreaser for a wide range of operations. Cleans and degreases all non-porous surfaces and suitable for preparing these surfaces prior to the application of Soudal's sealants and adhesives. Leaves no traces.

APPLICATIONS:

- Cleaning and degreasing of non-porous surfaces. Preparation of surfaces prior to the application of sealants. Removes uncured sealants and adhesives.

Aerosol can

119708	 Clear	400ml	6/ box	1044/ pallet	5411183090682
--------	---	-------	--------	--------------	---------------

Technical Aerosols



SEALANT REMOVER

A ready-to-use fast working spray based on citrus terpenes for the removal of cured silicone and hybrid polymer sealants.

APPLICATIONS:

- Suitable for most non porous substrates. Spray on cured sealant, leave to work for 5-10 minutes, then scrap off sealant rests.

Aerosol can

119709 Clear 400ml 6/ box 1044/ pallet 5411183090699



ADHESIVE REMOVER

Transparent solvent mixture for the removal of fresh adhesive stains and for the cleaning of tools, brushes, etc.

APPLICATIONS:

- On most surfaces including aluminium, coatings, laminated board, paint and certain plastics, not on polystyrene.

Aerosol can

119710 Clear 400ml 6/ box 1044/ pallet 5411183090705



MULTI CLEANER

A high performance cleaning spray which sprays foam which dissolves organic stains (such as coffee stains, etc.). Does not drip which makes it ideal on vertical surfaces.

APPLICATIONS:

- Suitable for porous surfaces, furniture, glass, tiles, mirrors, kitchens, bathrooms, car interiors, textile, carpets, office equipment, etc.

Aerosol can

119711 Clear 400ml 6/ box 1044/ pallet 5411183090712

Technical Aerosols



BRAKE CLEANER

Powerful fast drying Cleaner for Brakes, Clutch parts and other metal surfaces which removes excess brake fluid, grease, oil, dirt, etc.

APPLICATIONS:

- Brakes, Clutch parts, moving metal parts. Prevents squeeking and does not corrode metals.

Aerosol can

119712	 Clear	400ml	6/ box	1044/ pallet	5411183090729
--------	---	-------	--------	--------------	---------------



ZINC SPRAY MATT

High grade zinc spray for cold galvanizing (98% zinc in active ingredients) which protects zinc and other metals against corrosion with a matt finishing coat.

APPLICATIONS:

- Galvanizing action, protects zinc and other metals against rust and corrosion, can be spot welded, good electrical conductor.

Aerosol can

119713	 Zinc Grey	400ml	6/ box	1044/ pallet	5411183090736
--------	---	-------	--------	--------------	---------------



ALU-ZINC SPRAY

High grade alu zinc spray for cold galvanizing which protects zinc and other metals against corrosion. Provides a smooth and shiny surface.

APPLICATIONS:

- Galvanizing action, protects zinc and other metals against rust and corrosion, can be spot welded, good electrical conductor.

Aerosol can

119714	 Alu Grey	400ml	6/ box	1044/ pallet	5411183090743
--------	--	-------	--------	--------------	---------------

Technical Aerosols



CONTACT SPRAY

Universal cleaning and maintenance spray for electric contact which dissolves dirt and oxidation and improves contact and protects against penetrating damp.

APPLICATIONS:

- Protects electric contacts such as switches, batteriers, potentiometers, slide- and drag contacts, selectors, etc.

Aerosol can

119715	 Clear	400ml	6/ box	1044/ pallet	5411183090750
--------	---	-------	--------	--------------	---------------



DEGRIP ALL

High quality Penetrating Oil Spray fitted with Soudal's Genius Adaptor which degrips and loosens rusted and oxidized screws, bolts and other moving parts with very low surface tension. 360° application. The Genius Adaptor allows both precision application and in a wide spray pattern. Nonflammable propellant.

APPLICATIONS:

- Dissolves rust and corrosion, degrips and protects bolts, nuts, flanges, screws, hinges, and other moving parts.

Aerosol can

119716	 Clear	400ml	6/ box	1044/ pallet	5411183090767
--------	---	-------	--------	--------------	---------------



CUTTING OIL

High grade oil which prevents overheating of metals which are cut, drilled or sawed.

APPLICATIONS:

- Reduces friction and wear and cools metal parts which are subject to drilling, cutting, sawing, milling, etc.

Aerosol can

119717	 Clear	400ml	6/ box	1044/ pallet	5411183090774
--------	---	-------	--------	--------------	---------------


**NIEUW
NOUVEAU**

GENIUS SPRAYS



SPRAY 2 WAYS

- Naar boven voor **NAUWKEURIG** uitspuiten
- Une application **PRÉCISE** grâce à l'applicateur de précision
- Naar beneden voor **BREED** uitspuiten
- Une vaporisation **LARGE**
- Compact assortiment
- Une gamme complète
- Premium quality
- Qualité premium



EASY TO USE



SOUDAL

Technical Aerosols



ANTI SPAT SPRAY

High quality nonflammable spray which prevents the adhesion of weld spatter onto metal surfaces so that there is no need to have these grinded or chipped off.

APPLICATIONS:

- Protection of welding tables and other work surfaces, protection of sheet metal and other metal parts which are welded, very good corrosion protection.

Aerosol can

127776	Clear	400ml	6/ box	1044/ pallet	5411183128170
--------	-------	-------	--------	--------------	---------------

GENIUS SPRAY



GENIUS SPRAY PROTECT ALL

High quality Protection Spray based on Silicone Oils fitted with Soudal's Genius Adaptor. Lowers friction and reduces wear of mechanical parts, prevents dirt, dust and grease deposits, creates a water repellent layer and protects from moisture. Protect All withstands temperatures of up to 350°C. 360° application. The Genius Adaptor allows both precision application and in a wide spray pattern. Nonflammable propellant.

APPLICATIONS:

- Light lubrication of plastic and rubbers, sliding doors, rubber seals, protection for electric wiring, creation of a dirt- and water repellent layer.

Aerosol can

134619	Clear	300ml	6/ box	1080/ pallet	5411183151451
--------	-------	-------	--------	--------------	---------------



GENIUS SPRAY LUBRICATE ALL

High quality Lubrication Spray based on PTFE fitted with Soudal's Genius Adaptor. High penetrating performance. Suited for parts which are subject to high pressure and temperature loads, repels moisture and dirt and offers long term protection against friction. 360° application. The Genius Adaptor allows both precision application and in a wide spray pattern. Nonflammable propellant. Suitable for applications in food surroundings.

APPLICATIONS:

- Lubrication of machine parts, pulleys, bicycle and other moving chains, gears, ball bearings, conveyor belts, etc.

Aerosol can

134620	Clear	300ml	6/ box	1080/ pallet	5411183151420
--------	-------	-------	--------	--------------	---------------

Technical Aerosols



GENIUS SPRAY ALL-IN-ONE

Universal transparent premium grade technical spray with multiple action performance fitted with Soudal's Genius Adaptor. Cleaner - Lubricant - Rust Remover - Penetrating Oil - Anti-Corrosion Spray - Shock Spray - Contact Spray - Moisture Repellant. 360° application. The Genius Adaptor allows both precision application and in a wide spray pattern. Nonflammable propellant. Suitable for applications in food surroundings.

APPLICATIONS:

- To be applied on screws, bolts, chains, moving metal parts, axles, hinges, garden tools,

Aerosol can

134621	 Clear	300ml	6/ box	1080/ pallet	5411183151437
--------	---	-------	--------	--------------	---------------



GENIUS SPRAY CLEAN ALL

High quality Cleaning Spray fitted with Soudal's Genius Adaptor for the cleaning and degreasing of various surfaces, machine parts, moving parts, etc. Leaves no residues. 360° application. The Genius Adaptor allows both precision application and in a wide spray pattern. Nonflammable propellant.

APPLICATIONS:

- Cleaning and degreasing of non-porous surfaces. Preparation of surfaces prior to the application of sealants. Removes uncured sealants and adhesives.

Aerosol can

134622	 Clear	300ml	6/ box	1080/ pallet	5411183151444
--------	---	-------	--------	--------------	---------------



GENIUS SPRAY DEGRIP ALL

High quality Cleaning Spray fitted with Soudal's Genius Adaptor for the cleaning and degreasing of various surfaces, machine parts, moving parts, etc. Leaves no residues. 360° application. The Genius Adaptor allows both precision application and in a wide spray pattern. Nonflammable propellant.

APPLICATIONS:

- Dissolves rust and corrosion, degrips and protects bolts, nuts, flanges, screws, hinges, and other moving parts.

Aerosol can

134623	 Clear	300ml	6/ box	1080/ pallet	5411183151468'
--------	---	-------	--------	--------------	----------------

ACCESSORIES



YELLOW SKELETON GUN

Strong lightweight durable skeleton gun for dispersion of all cartridge based products.

FEATURES:

- Strong and robust
- Lightweight
- Dripless system automatically releases pressure
- Powder-coated for longevity

111072 24/ box 216/ pallet 5411183042896



HEAVY DUTY SEALANT GUN

Powerful heavy duty steel cartridge gun. 18:1 transmission ratio allows easy extrusion of high viscosity cartridge based sealants.

FEATURES:

- Heavy duty
- 18:1 Power transmission ratio
- Dripless system automatically releases pressure
- Easy extrusion of high viscosity products

106617 12/ box 432/ pallet 5411183009462



HEAVY DUTY SEALANT GUN ON BLISTER

Powerful heavy duty steel cartridge gun. 18:1 transmission ratio allows easy extrusion of high viscosity cartridge based sealants.

FEATURES:

- Blister pack
- Heavy duty
- 18:1 Power transmission ratio
- Dripless system automatically releases pressure
- Easy extrusion of high viscosity products

119357 6/ box 144/ pallet 5411183089501

Accessories



DOUBLE BARREL GUN FOR FOIL BAGS

Heavy duty sausage gun with high power transmission. Comes with two barrels; clear plastic and aluminium.

FEATURES:

- High power transmission
- Dripless system automatically releases pressure
- Transparent barrel allows visualization of sealant use

112802

10/ box

160/ pallet

5411183049611



COX GUN FOR FOIL BAGS

Heavy duty sausage gun with high power transmission. Quality from PC Cox.

FEATURES:

- Ultra-high power transmission
- Dripless system automatically releases pressure

106515

10/ box

450/ pallet

5411183006225



PNEUMATIC AIRFLOW 3 GUN FOR FOIL BAGS

Heavy duty pneumatic sausage gun with high power transmission. Quality from PC Cox.

126784

10/ box

200/ pallet

5411183124387

Accessories



COMPACT FOAM GUN

High quality light weight PU Foam Gun for the precise application of Soudafoam Gun.

FEATURES:

- Lightweight
- High quality for repeated use if properly maintained
- Very precise application of PU Foam possible
- Part of a system with Soudafoam Gun and Gun & Foam Cleaner

109953

40/ box

240/ pallet

5411183039643



HEAVY DUTY FOAM GUN

FEATURES:

- Heavy duty
- High quality - can be used for years if properly maintained
- Very precise application of PU Foam possible
- Part of a system with Soudafoam Gun and Gun & Foam Cleaner

103266

40/ box

240/ pallet

5411183037304



SWIPEX

Soudal SwipeX are high performance cleaning wipes for the fast and permanent removal of sealant and adhesive stains from hands, tools and surfaces.

FEATURES:

- Suitable for the removal of all types of uncured sealants, paints, PU Foams from surfaces and tools
- Safe alternative to White Spirit and other solvent based cleaners
- Suitable and safe for cleaning hands
- Based on natural ingredients (citrus terpenes)
- High performance cleaning of non-porous substrates
- Do not use for joint preparation

Plastic box

113551

100 wipes

6/ box

396/ pallet

5411183057548

Plastic bag

120874

20 wipes

12/ box

1440/ pallet

5411183096486

Accessories



SWIPEX HANDCLEANER

Soudal SwipeX Handcleaner is a highly effective cleaning soap with microgranules designed to remove stubborn dirt from hands.

APPLICATIONS:

- Cleans and removes uncured sealant and adhesive rests, oil and grease stains from hands.

FEATURES:

- Suitable for the removal of all types of uncured sealants, paints, PU Foams from hands
- Contains Sericin to protect your skin
- Contains abrasive microgranules for better removal of dirt
- Excellent cleaning properties

Plastic bottle

127329	1L	6/ box	600/ pallet	5411183127296
--------	----	--------	-------------	---------------



SILICONE REMOVER

Soudal Silicone Remover is a ready to use solvent based liquid for the removal of cured silicone and hybrid polymer sealant rests.

APPLICATIONS:

- Removes cured and uncured sealant rests.

FEATURES:

- Fast performance
- Does not drip
- Developed for silicone and hybrid polymer products

Blister

102853	Clear	100ml	12/ box	2772/ pallet	5411183032422
--------	-------	-------	---------	--------------	---------------



TROWELS

Trowel 11 for parquet sizes larger than 60x300mm. Trowel 3 for parquet sizes smaller than 60x300mm.

112945	60x30mm	12/ box	1800/ pallet	5411183049710
112946	60x300mm	12/ box	1800/ pallet	5411183049727

WATERPROOFING



AQUASWELL

Aquaswell is a high quality, elastic, 1-component sealant based on polyurethane. Swells in contact with water. Designed for the water- and gastight sealing around cable or pipe penetrations and the watertight sealing of joints in concrete and prefabricated elements. Able to bond bentonite swelling strips to rough surfaces.

APPLICATIONS:

- Water- and gastight sealing of most pipes in gas-, water- and cable ducts
- Watertight sealing of construction joints in concrete and prefabricated elements
- Watertight sealing of joints in building and construction
- Adhesion of bentonite swelling tapes on rough surfaces

FEATURES:

- Water- and gastight until 5 bar (DVGW VP601)
- Excellent adhesion on a wide range of construction materials both in interior and exterior applications
- Permanently elastic after curing
- Easy application on both vertical and horizontal surfaces
- Swells up to 450% of its original volume, under constant water load
- Returns to its original shape when the water contact is cleared
- Solvent free

Cartridge

124715	Champagne	310ml	12/ box	1440/ pallet	5411183119673
--------	-----------	-------	---------	--------------	---------------

Foil bag

124909	Champagne	600ml	12/ box	792/ pallet	5411183120631
--------	-----------	-------	---------	-------------	---------------



SODAPACK WST

Soudapack WST is a single component, solvent-free, hydro-expanding sealant to prevent water leaks through the inside of pipe penetrations. Soudapack WST does not harden but remains permanently plastic so that additional cables or pipes can be inserted at all times.

APPLICATIONS:


- Sealing paste for the water- and gas tight sealing of all kinds of tubular penetrations used for the internal routing of electric cables, telephone cables, TV, distribution cables, water and gas pipes, etc.

FEATURES:

- Solvent free
- Resistant to 3m water pressure
- Applicable in case of active water leaks
- Impermeable to water, watervapour and gas
- No chemical reaction, does not need to harden
- Immediate sealing
- Adheres to both dry and damp surfaces

Cartridge

134547	Yellow	310ml	12/ box	1200/ pallet	5411183151734
--------	--------	-------	---------	--------------	---------------





SOUDAPLUG ST

Soudaplug ST is a cement-based powder that can be mixed with water to make a fast curing hydrophobic mortar. Soudaplug ST is suitable for immediate sealing of leaks in concrete and masonry, even under high pressure.

APPLICATIONS:

- Sealing of active water leaks and infiltrations, even under high water pressure, through joints, cracks, gravel nests, construction faults and holes in structures made of concrete, masonry or stone
- Ensuring the watertight seal in combination with Soudapack WST
- Repairing cracks or irregularities in a wall and/or floor

FEATURES:

- Fast setting - cured within minutes
- Stops running water immediately
- Free of chlorides, non-corrosive to reinforcement steel
- Cement-based, perfectly compatible with concrete and brickwork
- Ready to use, only mix with clean water on site
- Resealable bucket

Buckets

126045	 Grey	5kg	1/ box	90/ pallet	5411183123939
126044	 Grey	1kg	6/ box	360/ pallet	5411183123922



SOUDAGUM LM 13 KG

Soudagum LM is a fast-drying, ready to use, solvent free polymer dispersion for bathrooms and showers, over concrete, cement renders, gypsum boards . . . under different kind of tiles.

APPLICATIONS:

- Flexible and resistant membrane for the waterproofing of indoor floor and wall surfaces of wet rooms with temporary standing water, which will be covered by tiles. The surfaces should not be subject to constant immersion or rising damp. Possible applications are in bathrooms, shower cubicles, kitchens, laundry rooms, etc. . . Always to be applied before the installation of tiles.

FEATURES:

- Soudagum LM comes 'ready to use'. Just stir thoroughly before use
- Fast application. Dry up to 4 hrs. (1 layer)
- Thixotropic dispersion for inside use, allows both vertical and horizontal applications
- Can be applied on all kind of construction surfaces: concrete, cement renders, gypsum boards, cement lime plasters, tiles, bricks, OSB panels etc. . .
- Not sticky, withstands light pedestrian traffic
- Tile adhesives bond well to the membrane surface
- Permanent sealing in combination with the appropriate Soudal waterproof tape
- Permanently elastic
- Temperature stable
- Alkali resistant. Resistant to lime water
- Salt and acid resistant. Resistant to water containing chlorides and normal household detergents
- Solvent-free. Environmentally friendly.

Bucket

126580	 White	13kg	1/ box	33/ pallet	5411183124110
--------	---	------	--------	------------	---------------



SOUDAPRIM DP

Primer for liquid waterproofing membrane. For porous substrates or substrates in gypsum. Fast drying.

APPLICATIONS:

- As a primer before application of a waterproofing membrane on indoor floor and wall surfaces that are porous or on absorbing mineral substrates such as concrete, cement, anhydrite, gypsum boards, etc. . . As a preliminary treatment on sandy or powdery substrates. Substrates should not be subject to constant immersion or rising damp. Possible applications are in bathrooms, shower cubicles, kitchens, laundry rooms

FEATURES:

- Soudaprim DP comes 'ready to use'. Just stir thoroughly before use
- High coverage
- Deep penetration nano-particles
- Solvent-free
- Easy to apply
- Fast application. Dry after appr. 1 hour
- Strengthens substrate
- Limits absorption by substrate
- Binds dust

Can

126574  Slightly reddish 5L 4/ box 96/ pallet 5411183124080



SOUDABOND MT 15 KG

Soudabond MT is a ready-to-use, waterproof and flexible adhesive paste. Soudabond MT is being used for bonding of Soudafoil ME for waterproof and flexible bonding of floor and wall tiles (CE approved D2TE according to EN 12004). The adhesive has a high initial tack and can be used on slightly moist substrates.

APPLICATIONS:

- Bonding of Soudafoil ME at rising damp: First remove the plaster and check if the surface is free of salts. If necessary, neutralize and block the salts with Soudablock Saltex or Soudablock Sulfex. Afterwards drill holes and apply Soudaclear Injectogel. After the injection, fill up the remaining holes with Soudaplug ST (waterproof fast cement). After these preparations, apply a thin layer of Soudabond MT directly on the surface, make sure to apply sufficient adhesive so the foil can be pushed in with a rounded trowel. Prevent air from being trapped between the foil and the adhesive/surface.

FEATURES:

- Ready to use
- Good initial bonding, no sagging
- Can be used on moist substrates
- Good temperature resistance
- Suitable for floor heating
- Suitable for natural stone
- Moisture and water resistant
- Class D2TE according to EN 12004
- Long open time

buckets

131338  Off-white 15kg 1/ box 33/ pallet 5411183138759





SOUDACLEAR FAÇADE W

Water based water repellent impregnation agent for façades. For the colourless water repellent impregnation of mineral porous building materials such as brick masonry.

APPLICATIONS:

• Soudaclear Façade W is a specially formulated transparent and ready-to-use liquid, based on silanes and siloxanes for the water repellent treatment of external walls. The liquid will penetrate into mineral and porous construction materials, such as brick or concrete block masonry, sand-lime bricks, natural sandstone, mineral plasters and aerated concrete blocks. The product reacts chemically with the moisture in the substrate and will form, after physical drying, a water repellent, UV and weather resistant protection without influencing the vapour permeability. Soudaclear Façade W reduces substantially the absorption of water and the harmful substances dissolved therein.

FEATURES:

- Ready to use
- Easy to apply
- Water-based, no solvents
- Environmentally friendly. Not toxic. Not flammable
- Can be applied on dry AND slightly moist substrates
- Low molecular active ingredients
- Rapid development of the water repellent characteristics
- Good penetration
- White. Dries quickly, tack-free with a transparent finish
- Alkali resistant
- Low odour
- No staining
- Repels water, but keeps the pores open, allowing the wall to breathe
- Vapour permeable
- Keeps cavity insulation dry and thereby ensures insulating power
- Prevents efflorescence and the infestation with algae, fungus and moss
- Prevents frost damage
- Prevents colour changes of the façade and pollution caused by absorption of rainwater
- UV and weather resistant
- Protects against driving rain
- Packaging can be closed again for later use

Cans

128529	White	5L	4/ box	128/ pallet	5411183130739
--------	-------	----	--------	-------------	---------------

Can

128531	White	25L	1/ box	24/ pallet	5411183130746
--------	-------	-----	--------	------------	---------------



FEATURES

- Water repellent
- UV and weather resistant
- Prevent color changes on the stone
- Environmentally friendly. Not toxic. No solvents. Not flammable
- Repels water but keeps pores open allowing the wall to breathe



SOUDAGUM HYDRO

Soudagum Hydro is a solvent free SMX Hybrid Polymer based waterproofing coating for horizontal and vertical surfaces both indoor and outdoor.

APPLICATIONS:

- Waterproofing of skylights, dome lights, roof-to-wall connections, pipe collars, etc. Emergency repair of cracks and leaks in roof gutters. Waterproofing of indoor and outdoor joints. Waterproofing layer below concrete roofs, terrain tiles and wooden terraces.

FEATURES:

- Ready to use semi liquid product
- Free of water, solvents and isocyanates
- Application possible in one or two layers with or without non-woven fleece
- Remains flexible, bridges gaps
- Excellent UV, chemical and weather resistance, suitable for outdoor applications
- Can be used during rain and under water in emergency situations, in normal situations water resistant 2 hours after application

Plastic pail

131634	Grey	5kg	1/ box	90/ pallet	5411183139626
--------	------	-----	--------	------------	---------------

131632	Grey	10kg	1/ box	/ pallet	5411183139640
--------	------	------	--------	----------	---------------

Set

134553	Grey	1kg	6/ box	216/ pallet	5411183151871
--------	------	-----	--------	-------------	---------------



AUTOMOTIVE RANGE



CARBOND 940 FC

Carbond 940FC is an elastic polyurethane adhesive for structural bonding of body elements.

APPLICATIONS:

- Supple bonding and sealing in vibrating constructions in car bodies, caravans and containers
- Strong elastic bonding in vibrating constructions
- Flexible connections in automotive applications

FEATURES:

- Very easy to apply
- Permanently elastic after curing
- Excellent resistance to UV radiation
- Fast curing
- Excellent adhesion
- Can be painted over after curing
- High chemical resistance

Cartridge

103445		Black	300ml	12/ box	1152/ pallet	5411183009059
103446		Grey	300ml	12/ box	1152/ pallet	5411183011380
103447		White	300ml	12/ box	1152/ pallet	5411183009042



CARBOND 955 DG

Carbond 955 DG is a ready for use, one component adhesive/sealant based on polyurethane for installing windscreens in vehicles.

APPLICATIONS:

- Installing of windscreens in vehicles.

FEATURES:

- Good sag resistance
- High end strength
- Good weather and UV resistance
- To be used in combination with Carbond Cleaner/ Activator and Primer

cartridge

105894		Black	300ml	6/ box	1200/ pallet	5411183006812
--------	---	-------	-------	--------	--------------	---------------



CARBOND 955 DG PRIMER

APPLICATIONS:

- Installing of windscreens in vehicles.

FEATURES:

- Good sag resistance
- High end strength
- Good weather and UV resistance
- To be used in combination with Carbond Cleaner/ Activator and Primer

canister

105928		Clear	30ml	6/ box	12000/ pallet	5411183006805
--------	---	-------	------	--------	---------------	---------------



CARBOND 955 DG CLEANER/ACTIVATOR

APPLICATIONS:

- Installing of windscreens in vehicles.

FEATURES:

- Good sag resistance
- High end strength
- Good weather and UV resistance
- To be used in combination with Carbond Cleaner/Activator and Primer

105927	30ml	6/ box	14400/ pallet	5411183006799
--------	------	--------	---------------	---------------



UNDERBODY PROTECTION AEROSOL

Underbody Protection Aerosol is a bituminous based undercoating that forms a protective film after drying.

APPLICATIONS:

- Excellent resistance to rust, oil, grease, water, salt, etc ...
- Coating against heat and noise on the underside of the car
- Silicone based
- Not paintable

FEATURES:

- For the protection of the wheel arches and the car bodywork
- Forms a protective film against rust, oil, grease, water and salt
- A protective coating against heat and sound vibrations

106702	Black	500ml	12/ box	600/ pallet	5411183009127
--------	-------	-------	---------	-------------	---------------



UNDERBODY PROTECTION SPRAYABLE TIN

Underbody Protection Gun is a bitumen based undercoating that forms a protective film after drying.

APPLICATIONS:

- Excellent resistance to rust, oil, grease, water, salt, etc ...
- Coating against heat and noise on the underside of the car
- Silicone based
- Not paintable

FEATURES:

- For the protection of the wheel arches and the car bodywork
- Forms a protective film against rust, oil, grease, water and salt
- A protective coating against heat and sound vibrations

Tin					
106703	Black	1kg	12/ box	600/ pallet	5411183011212
106705	Black	5kg	4/ box	96/ pallet	5411183011229



ANTI-GRAVEL AEROSOL

Antigravel Aerosol forms a protective layer against rust, salt sand and stones.

APPLICATIONS:

- Protects the lower flanks of the car body against stones and corrosion
- The film also largely absorbs noise and vibration
- Anti-gravel below the bumpers and side panels of cars
- Anti-resonance product in wheel arches and undersides of cars

FEATURES:

- When dry, provides a tough elastic film excellent resistance to gravel
- Does not contain bitumen nor asphalt
- Can be painted or sprayed
- The dry layer is not affected by water nor solvents

Aerosol can

106706	Black	500ml	12/ box	672/ pallet	5411183009141
106709	Grey	500ml	12/ box	600/ pallet	5411183009134



ANTI-GRAVEL TIN

Antigravel Aerosol forms a protective layer against rust, salt sand and stones.

APPLICATIONS:

- Protects the lower flanks of the car body against stones and corrosion
- The film also largely absorbs noise and vibration
- Anti-gravel below the bumpers and side panels of cars
- Anti-resonance product in wheel arches and undersides of cars

FEATURES:

- When dry, provides a tough elastic film excellent resistance to gravel
- Does not contain bitumen nor asphalt
- Can be painted or sprayed
- The dry layer is not affected by water nor solvents

Tin

106707	Black	1kg	12/ box	600/ pallet	5411183011250
106710	Grey	1kg	12/ box	600/ pallet	5411183011267
106708	White	1kg	12/ box	600/ pallet	5411183011274







Headquarters: Soudal N.V.

Everdongenlaan 18-20,

BE-2300 Turnhout

Tel: +32 14 42 42 31

info@soudal.com

www.soudal.com

